



DESIGNING DISRUPTION

The critical role of virtual twins in accelerating sustainability

Virtual twin technology is an underutilized lever in operationalizing sustainability and the circular economy at speed and scale



Accenture Industry X

Foreword

The world is changing in ways that are impossible to ignore. As we continue to learn how the global pandemic will impact life in the years to come, it's important to recognize a vital lesson: we are placing increasingly dangerous pressures on the global commons and we must act quickly to avoid high-risk scenarios.

With this in mind, leaders across industry, government and civil society must increasingly work together to meet our Global Goals by 2030 and it is clear that we all need to employ urgency as we only have ten years left to prevent irreversible damage from climate change.

The complete transformation needed to achieve these goals will require new ways of managing products and services over their entire lifecycle, from design, use and end-of-life. To do this, we must find new ways of working together to create circular economies, drive competitiveness and responsible growth opportunities and collectively ensure that technological revolutions deliver on their promise of enhanced sustainability.

In response to these challenges, Accenture and Dassault Systèmes have partnered to further advance the thinking on the potential for virtual twin technology to accelerate this sustainable transformation towards a more circular economy. Virtual twins can help companies reduce their costs, resource use and carbon footprint and they can support disruptive innovation and agile, customer-centric, more circular business models.

They enable significant upside potential for sustainable innovation at scale, required to create more responsible global value chains, and present an opportunity to drive systemic progress towards more circular and significantly less carbon intensive economic systems.

This report examines these opportunities and the use cases where virtual twins can, or already are, modeling entire value chains as virtual experiences, demonstrating how the technology can unlock combined **additional benefits of USD \$1.3 Trillion of economic value and 7.5 Gt CO₂e emissions reductions between now and 2030.**

Together, we are excited at the potential for these virtual twin technologies to design and deliver the new products and systems we need for our zero-carbon, circular economies. However, we must be sure to deploy these technologies at pace and with sustainability as a key driver, as only then will we be able to ensure our Global Goals are met by 2030.



Florence Verzelen
**Executive Vice President Industry,
Field Marketing and Sustainability**
Dassault Systèmes



Peter Lacy
**Chief Responsibility Officer and Global
Sustainability Services Lead**
Accenture



Nigel Stacey
Global Lead Industry X
Accenture

Contents

Executive summary	5
1. The Decade to Deliver	7
2. The opportunity from harnessing virtual twins	16
2.1. Construction and cities	19
2.2. Consumer packaged goods	22
2.3. Transportation and mobility	24
2.4. Life sciences	27
2.5. Electrical and electronics	30
2.6. Other notable use cases enabling circularity	33
3. Perspectives from industry leaders and the way forward	40
4. Appendix	47
4.1. Additional industry-specific use cases and case studies	48
4.2. Methodology	65
4.3. Acknowledgments and References	81

Executive summary

A virtual twin is a real-time virtual representation of a product, platform or ecosystem that can be used to model, visualize, predict and provide feedback on properties and performance. Virtual twin technologies provide an untapped opportunity to reduce operational costs and drive sustainable, circular, end-to-end disruption in value chains.

In 2020, the global virtual twin market is estimated at just over USD \$5.4 Billion, and it is projected to grow at a CAGR of 36% over the next five years. However, its current reach is limited, and the market has only achieved 10% adoption globally as this technology is currently not fully mature and underutilized across many industries.

Despite a limited adoption rate to date, virtual twin technology can accelerate the delivery of the UN Sustainable Development Goals. This study examines use cases within the Construction, Consumer Packaged Goods, Transportation, Life Sciences and Electrical and Electronics industries to frame the realized and potential impact of the technology.

Five use cases have been assessed quantitatively for their business and sustainability impact, where data availability and/or technology maturity allow; others have been highlighted qualitatively for their high potential to drive change. **The analysis reveals that these five use cases alone can deliver combined incremental benefits of USD \$1.3 Trillion of economic value and 7.5 Gt CO₂e emissions reductions between now and 2030.**

From this study, it is clear that the benefits of virtual twin technologies are numerous and their potential role in supporting a circular economy is significant. They enable reduced product development lifecycle times, improved manufacturing quality and control and more efficient use and recovery of resources across the lifecycle. But adoption has been limited due to several key barriers.

Chief among them are a limited understanding of technology use cases and benefits, difficulty in measuring combined business and sustainability ROI as part of the business case, and a potential lack of progressive executive leadership in adopting the technology for competitiveness and the sustainability agenda.

To overcome these barriers and accelerate the adoption of virtual twin technologies, executive leaders should consider these five key recommendations:

1 


Tie together technology and sustainability agendas:

Ensure leadership support for tying together the technology, sustainability and circular agendas, including measuring and tracking value, connecting to growth strategies and factoring in sustainable value into key investment decision-making;

2 

Improve understanding:

Improve understanding of virtual twin technology and potential use cases across the organization, including infrastructure requirements, legacy constraints;

3 

Focus on disruptive, systems-change use cases:

Focus on scaling solutions with transformational sustainability impact, moving beyond efficiency improvements and incrementalism, towards systemic change as presented by the circular economy and large-scale industry decarbonization;

4 

Deploy responsibly:


Deploy virtual twins based on responsible and inclusive principles, ensuring transparency, inclusion and accessibility are embedded from the start;

5 

Rally ecosystem support:

Build broad support with private, public sector and civil society to ensure long-term success and help de-risk and pilot use cases where return on investment may be perceived as too uncertain for private capital.






The Decade to Deliver



The crisis of the global commons is deepening

The environmental degradation inherent in our current models of production and consumption has reached critical levels. Continuing on this path is incredibly high risk as it could trigger non-linear, abrupt environmental change within planetary systems, and we are already feeling the effects across all our ecosystems:

Figure 1: Key examples of environmental degradation

	Life on land	Earth's animal populations have decreased by nearly 70% since 1970, in large part due to loss of habitat ¹ . The three most recent years with available data (2016, 2017, 2018) experienced the three highest rates of primary forest loss since the turn of the century.
	Life at sea	Nearly 90% of the world's marine fish stocks are now fully exploited, overexploited or depleted ² and the chemistry of the oceans is changing faster than at any point in perhaps 300 Million years, due to the absorption each year of around 25% of anthropogenic greenhouse gas pollution ³ .
	Climate	GHG emissions need to fall by circa 8% each year between now and 2030 ⁴ if the world is to get on track to meet our goal of limiting temperature rise to close to 1.5° Celsius, as agreed by science and policy makers within the Paris Agreement. Despite this agreement, arctic summer sea ice could disappear as early as 2035 ⁵ due to rising emissions.
	Water	Severe impacts on the global water cycle have occurred due to increased abstraction and uncontrolled pollution; by 2030 we may face a 40% shortfall in the freshwater we will need to drive our global economy ⁶ .
	Food system	Research has revealed that approx. 30% of the world's adequate or high-quality food-producing land has been lost at a rate that far outstrips the pace of natural processes to replace diminished soil ⁷ .

This is a critical decade for action

To address this crisis, we need to radically transform our systems of production and consumption. There are now less than ten years left to achieve the UN Sustainable Development Goals (SDGs, also known as the Global Goals) set out by governments, business and other stakeholders, and we are woefully off track. Incremental change is no longer an option.

SDG progress reports have revealed that despite improvement in a number of areas on some of the Goals, progress has been slow or even reversed, particularly following the COVID pandemic in 2020. Whilst we still stand a chance to change this trajectory, we need to understand that the next ten years are critical.

CEOs stand at the ready to ensure business plays its role in our collective response. In the fifth UN Global Compact—Accenture Strategy CEO Study on Sustainability from 2019, nearly half of the participating CEOs said business would be the most important actor in the delivery of the Goals.

Yet, only 21% of CEOs stated they believe that business is already fulfilling that potential by contributing to the Goals. Discontent with that status quo, CEOs agree the business community should be making a far greater contribution to achieving a significantly more sustainable world by 2030.

There are now less than ten years left to achieve the UN Sustainable Development Goals (SDGs, also known as the Global Goals) set out by governments, business and other stakeholders, and we are woefully off track. Incremental change is no longer an option

Virtual twins are an underutilized accelerator of sustainability

To accelerate this sustainability transformation towards more circular models, business experimentation with new digital, physical and biological technologies has flourished in recent years. Some of the technologies have already matured considerably. The Internet of Things (IoT), for example, has become the new standard for devices and equipment. However, there has been less experimentation to date with the technology that is used to design, manufacture and build most complex goods today.

This technology is known as product lifecycle management (PLM) and it has evolved significantly in recent years with the advent of production innovation platforms. Virtual twin technologies stand on the foundation provided by PLM but enable much more disruptive forms of innovation.

Virtual twins are used to model complex systems, from cars to cities to human hearts, and simulate their functioning with an accuracy that allows the user to go directly from a virtual model to creation, without spending the years it normally takes to prototype and incrementally improve on existing designs.

This time-to-market speed and risk-reduction of complex projects explains why virtual twin technologies have been used in the development of 85% of the world's electric vehicles, more than 75% of global wind power, and breakthrough sustainability pilots such as electric furnaces, the world's first solar airplane, and new bio-materials⁸. Virtual universes allow users to design, test, and model disruptive new sustainable products and processes in record time.

Virtual universes allow users to design, test, and model disruptive new sustainable products and processes in record time

Explaining the twins: history, definition and applications

The smart industrialization agenda has breathed new life and potential into the digital twin concept. Academic and business thought leaders have written extensively about the topic over the past years and the terminology used spans a wide spectrum. In this paper, we refer to digital twins as virtual, reflecting the evolution of the concept.


To avoid any ambiguity, we define virtual twins as a real time virtual representation of a product, process, or a whole system that is used to model, visualize, predict and provide feedback on properties and performance, and is based on an underlying digital thread.

The latter is the interconnected network of process and digital capabilities that create, communicate and transact product information throughout the product lifecycle.

This allows the virtual model to be continuously updated across the lifecycle of the physical asset (or across the parameters of production processes), with additional data gathered from real-world interactions (see Figure 2).

We define virtual twins as a real time virtual representation of a product, process, or a whole system that is used to model, visualize, predict and provide feedback on properties and performance, and is based on an underlying digital thread

Figure 2: How virtual twins interact with the real world



Market overview: maturing technology poised for rapid growth

The commercial benefits of using virtual twins are wide-ranging and transformational, chief amongst which are richer design options and rapid prototyping, significant production process efficiency and quality improvement, enhanced asset operational performance and life extension, supply chain scenario planning and resiliency, and effective decommissioning planning and execution.

It is telling that 100% of the world's top EV manufacturers, and 90% of the top drug and healthcare laboratories, use virtual twin solutions. However, the vast majority of private and public organizations globally are yet to pilot and scale such solutions⁹.

In 2020, the global virtual twin market is worth an estimated USD \$5.4 Billion and is projected to grow at a 36% CAGR over the next five years¹⁰. In terms of adoption levels, virtual twins are poised for fast growth from a small base.

At present, virtual twins are only adopted at rates of 8 – 10% on average across industries¹¹, but future growth is expected to be led by the Transportation industry where the baseline is already relatively high (30 – 40% current adoption rates for EV startups, and 60 – 70% for best-in-class OEMs at present).

Growth is anticipated to also be significant across four additional industries: Construction (current adoption rate of

about 1%), Electrical and Electronics (current adoption of less than 5%), Consumer Packaged Goods (current adoption of about 3 – 5%) and Life Sciences (currently at about 5 – 10% based on Pharma sector).

Given the growing ubiquity of virtual twins over the next decade, there is a disruptive potential to drive significant, and sustainable change, if harnessed responsibly—a unique opportunity in the Decade to Deliver.

36% CAGR

projected growth rate for the global virtual twin market 2020-2025⁸

Figure 3: Key virtual twin capabilities and observed impacts on business (non-exhaustive)

RESEARCH AND DEVELOPMENT	DESIGN AND ENGINEERING	MANUFACTURING	TRANSPORT AND LOGISTICS	PRODUCT/ ASSET USE	DECOMMISSIONING AND END-OF-LIFE
<ul style="list-style-type: none"> • Access to past product performance data • In silico development of new molecules and materials • Multidiscipline research collaboration • Multiple scenario modelling • Organized access to relevant data • Visibility of lifecycle impact 	<ul style="list-style-type: none"> • Access to past product performance data • Generative design • In silico prototyping and testing • Multidiscipline design collaboration • Organized access to relevant data • Visibility of lifecycle impact 	<ul style="list-style-type: none"> • New product trials and ramp-up • Improved operational feedback at the point of worker interaction • Intelligent monitoring and maintenance of equipment • Manufacturing process simulation and optimization • Plant facility layout simulation and improvement • Plant and machinery controls automation based on real-time operating conditions 	<ul style="list-style-type: none"> • Algorithmic planning and route optimization • Container tracking and management • Fleet management • Sensor-based shipments condition monitoring • Virtualization and visualization of logistics facilities and infrastructure • Virtualization and visualization of logistic networks 	<ul style="list-style-type: none"> • Advanced failure warning and risk management • Over the air software performance optimization • Intelligent asset service and maintenance • Real-time generation of operational improvement insights • Remote asset monitoring and diagnostics 	<ul style="list-style-type: none"> • Data-based decom. planning/life-extension assessment • Decommissioning process simulation and planning • Decommission execution simulation and planning • Detailed visibility into asset and component status, material composition and design • Material and component recovery tracking



Cost of Goods Reduction



Operation and Product Footprint Reduction



Regulatory and HSE Risk Reduction



Cross-Functional Collaboration Enablement



New Service Models Enablement



Time-To-Market Reduction


Study scope

The study focuses on five industries and virtual twin use cases, prioritized for their high potential to enable sustainable value creation, in addition to two industry agnostic use cases.

These five industry-specific use cases are quantitatively assessed for their business and sustainability impact out to 2030 (with a focus on environmental sustainability and GHG emissions reduction for simplicity).

The report also features five additional industry-specific use cases presented qualitatively in Appendix 4.1 alongside illustrative case studies, as data is either limited or sensitive but existing evidence suggests that their potential to drive change is significant.

For full details on the study scope and methodology, please see Appendix section 4.2.



The opportunity from harnessing virtual twins



Five use cases alone can unlock combined additional benefits of USD \$1.3 Tn of economic value and 7.5 Gt CO₂e reductions out to 2030

This study aims to highlight the growing and increasingly critical connection between virtual twin technologies and sustainability and the circular economy, by identifying and quantifying some of the major positive outcomes across use cases and industries. Our quantitative benefit analysis of five use cases highlights significant value-at-stake from the scaled deployment of virtual twin technology across industries beyond individual pilots and low-hanging fruit.

Despite this significant value, it is also important to note that this analysis is only related to this limited number of use cases and the total impact of the scaled deployment of virtual twins across global economic systems is likely to deliver significantly larger upside potential.

Furthermore, this output is most likely an underestimate, since key assumptions and sensitive parameters used in the analysis were based on the lower, conservative end of observed ranges.

Figure 4 provides an overview of the use cases analyzed quantitatively by industry. Additional use cases presented qualitatively are also available in Appendix 4.1.












USD \$1.29 Tn


of combined cumulative economic value opportunity out to 2030 globally

7.52 Gt CO₂e

of total cumulative emission savings delivered across five industries by 2030

Figure 4: Focus use cases for the study across the in-scope industries

INDUSTRY	USE CASE (CONTEXTUALIZED FOR INDUSTRY)	DESCRIPTION
 Construction and Cities	 Building operational efficiency optimization enabled by virtual twin technologies	Use of virtual twin technologies to drive broad operational cost savings and optimize resource use for buildings in the use phase e.g., energy for lighting, heating, water usage etc.
 Consumer Packaged Goods	 Sustainable product development supported by LCA-based 3D modeling and simulation	Inclusion of product lifecycle assessment data in virtual modeling and simulation tools to make more efficient, durable, and recyclable products (including packaging)
 Transportation and Mobility	 Product design, prototyping and testing with virtual twin technologies	Using virtual twin technologies to accelerate the vehicle concept, detailed design and design verification stages, reducing physical testing and optimizing for lower embedded carbon footprint and (more) circular design
 Life Sciences	 Manufacturing plant optimization for pharmaceutical products with process virtual twins	Use of factory virtual twins in the pharma industry to identify process improvements leading to efficiencies across business and sustainability drivers e.g., capacity increase with existing assets, raw materials and energy usage reduction, product quality improvement, waste and rework reduction etc.
 Electrical and Electronics	 Waste Electric and Electronic Equipment value recovery supported by virtual twin	Data on the operating conditions informs decisions on whether to re-use, recondition, recycle, or scrap items. Material data can help to determine appropriate recycling steps. Data accumulated by the virtual twin during the lifecycle can enable better value recovery at end of life
Cross Industry Use Cases	 <ol style="list-style-type: none"> 1. Optimization of material flows and waste valorization 2. Parts and material recovery optimization for decommissioned assets 	<ol style="list-style-type: none"> 1. Use of supply chain virtual twin technology and applications to enable end-to-end visibility of key material flows and related KPIs 2. Use of product virtual twins and plant (facility) simulation technologies to help facilitate the recovery of valuable parts and materials



2.1. Construction and Cities

Industry context and sustainability challenges

The construction industry is estimated to be worth \$8 Trillion worldwide, or 10% of global GDP, and is one of the largest sectors globally¹². Additionally, it is a key source of demand for materials and resources, which creates significant environmental strain and reliance¹³.


From a sustainability perspective, commercial and residential buildings currently use about 40% of global energy demand (60% of the world's electricity), account for 25% of our global water usage, and are responsible for approximately a third of global GHG emissions¹⁴.

And these demands are only set to increase. Current estimates suggest that by 2030, there will be 706 cities with a least 1 Million inhabitants—up nearly 30% from 2018¹⁵.

Despite these challenges, spatial concentration of people and economic activities has potential upsides, as it facilitates at-scale deployment of solutions. For example, urban buildings offer significant potential for achieving substantial GHG emission reductions globally.

Energy consumption in buildings can be reduced by 30 – 80% using proven and commercially available virtual twin technologies, often within the broader framework of smart cities¹.

Energy consumption in buildings can be reduced by 30 – 80% using proven and commercially available virtual twin technologies



Use case: Building operational efficiency optimization enabled by virtual twin technologies

USD \$288 Bn incremental savings and 6.9 Gt CO₂e emissions

In this context, a virtual twin of a physical building behaves like its real-world twin, connecting buildings with energy and transport systems. 3D simulation and modeling software, real-time data and analytics enable the optimization of a building's operational performance and sustainability throughout its lifecycle.

Virtual twins are also a data resource that can improve the design of new assets, specify as-is asset condition and run "what if" scenarios. Advanced twins use two-way digital-physical interactions, allowing for remote and even autonomous asset control.

While twins can be created for existing and future buildings, this use case models the potential of implementing virtual twins in new construction globally between 2020 – 2030.

For this use case, we have prioritized and focused on two value drivers where impact is most evidentⁱⁱ:


- Building operating cost reductions
- Improved energy management

USD \$288 Bn

reduction in building operating costs through reduction in energy consumption, maintenance, planning and commissioning costs

6.9 Gt CO₂e

reduction in building operations emissions as a result of improved energy management (12,032 TWh of savings)



Use case: Building operational efficiency optimization enabled by virtual twin technologies


Case study: Aden, China facility


Aden is a leading integrated facility management service provider who has expanded from traditional facility management services to asset management and energy services. It recognized that virtual twins and analytics are critical to this transformation.

Aden has created a virtual twin for one of the commercial centers in Chengdu, China. The virtual twin monitors, aggregates and understands data to plan and execute inspection, maintenance and repair activities. 3D simulations to model and simulate the behavior of the building systems are used to predict and optimize the energy consumption under different operating conditions.

Expected benefits from this project include reduced annual energy consumption by 20%, lower water usage and waste generated and improved health and safety performance.

Figure 5: View of the asset from the virtual twin platform





2.2. Consumer Packaged Goods


Industry context and sustainability challenges

The Consumer Packaged Goods (CPG) industry currently accounts for two-thirds of international trade volumes and represents 10% of the national GDP in the United States¹⁶ and is closely tied to many others, such as agriculture, chemicals, oil and gas and mining and natural resources.

Due to its size, the industry also faces significant sustainability challenges. Agriculture (including crop and livestock production), forestry and land use account for nearly a quarter of global GHG emissions, and a third of global food production is wasted across the value chain¹⁷.

Virtual twin technologies offer the potential to limit resource use and enable cross functional collaboration from R&D to Marketing and back, helping establish the base for a new way of approaching sustainability by design, which is critical as design decisions can be linked to 80% of a product's environmental impact¹⁸. 3D modeling and simulation technologies can also help enable the sustainable design and manufacture of products by incorporating lifecycle footprint data and visibility.

Design decisions
can be linked to
80% of a product's
environmental impact



Use case: Sustainable product development supported by LCA-based 3D modeling and simulation

USD \$137 Bn incremental cost savings and 281 Mt CO₂e emission reductions

Here, we focus on product development and the integration of lifecycle assessment (LCA) footprint dataⁱⁱⁱ within 3D modeling and simulation tools. This use case focuses on the analytical value of virtual twins and how the technology enables the integration of sustainability objectives at the start of the product lifecycle.

A significant portion of the environmental impacts of a product is determined by the decisions made in the early stages of design; it is also where 60 – 85% of the product's cost is determined¹⁹. Different eco-design tools exist using the LCA principle to support product and service decisions, however those are usually very complex and time-consuming.

More importantly, existing tools can only be used after concept development and design have significantly advanced already, therefore limiting the “menu of options” available to decision-makers.

Virtual prototyping also allows for faster design iterations and reduces the need for physical tests, driving significant CO₂ benefits.

For this use case, we have prioritized three value drivers where impact is most evident^{iv}:

- Raw material cost reduction
- Product development cost reduction
- Reduced embedded carbon footprint

USD \$131 Bn

reduction in raw material usage costs

USD \$6 Bn

reduction in product development costs

281 Mt CO₂e

reduction in embedded product footprint as a result of better LCA output visibility and improved decision-making as a result



2.3. Transportation and Mobility

Industry context and sustainability challenges

In many developed countries, transportation accounts for 6% – 12% of GDP, whereas logistics can account for up to 6% – 25% of GDP alone²⁰. But emissions from transport, broadly comprising of road, rail, air and marine, accounted for about 25% of global CO₂ emissions in 2016²¹ and they are also projected to grow faster than any other sector's, posing a key challenge for efforts to decarbonize the global economy.

Research suggests that zero-emission and autonomous vehicles both have a critical role to play if we are to achieve global GHG reduction targets²² and virtual twins have a long history in automotive applications²³.

It is estimated that by the end of 2020, 65% of automotive manufacturers would use simulation and virtual twins to operate products and assets²⁴.

Case studies suggest that virtual twin technologies accelerate time-to-market and help bring costs down for new drivetrains, lightweight body designs and EV batteries²⁵, and are indispensable in the development of autonomous transportation²⁶.

By the end of 2020,
65% of automotive
manufacturers would
use simulation and
virtual twins to operate
products and assets



Use case: Product design, prototyping and testing with virtual twin technologies

USD \$690 Bn in costs saved and 230 Mt CO₂e emissions avoided

Here, we focus on the avoidance of prototyping and physical testing enabled by 3D modeling and virtual simulation technologies when new vehicles are designed, prototyped and tested. With a virtual twin, an OEM can test out multiple designs and features, eliminating many aspects of prototype testing at part and vehicle level to help determine how the design measures against relevant policies, standards, and regulations. Typically, OEMs use hundreds of test vehicles per model across several models each year (depending on whether the design changes are major or minor). These can be drastically reduced if a virtual twin is leveraged during the early product development stage, leading to significant avoidance of waste—both in terms of materials, and product development costs.

In addition, the use of virtual twins in new vehicle development can drive other production costs down and shorten overall time-to-market considerably and is even being linked to reduction in costly vehicle recalls²⁷. Finally, virtual twins are helping to enable faster development of autonomous vehicles, with a significantly reduced carbon footprint by substituting a big portion of the total test mileage required with simulations.

For this use case, we have prioritized and focused on four value drivers where impact is most evident^v:

- AV development cost avoidance
- Product development cost reduction
- AV development emissions avoidance
- Emission reduction through decreased physical testing

USD \$429 Bn

cost avoidance in autonomous vehicle development via simulation

USD \$261 Bn

cost reduction in product development

227 Mt CO₂e

emissions avoidance in autonomous vehicle development

2 Mt CO₂e

emissions reduction from physical prototypes and test vehicles



Use case: Product design, prototyping and testing with virtual twin technologies

Case study: large European OEM, virtual design and verification


Automotive companies are under constant pressure to produce better cars that meet increasingly stringent legal requirements for safety and environmental sustainability, as well as growing consumer demands, and to bring them to market at speed and scale.

As a result, the vehicle design and development process within OEMs has evolved from one which previously incorporated key milestones involving physical prototypes, to one which seeks to largely eliminate physical prototypes and associated physical tests.

As part of these tests, crash simulation software can now accurately predict detailed behaviors which are known to have important influence on passive safety criteria.

A large European OEM has managed to achieve the following improvements based on virtual design and verification using virtual twin technologies:

- Reduced product development time by months
- Ability to accurately predict localized effects like material and connection failure leading to improved quality
- For vehicle models with limited design updates, between 70 – 100% reduction in physical prototypes
- For some models, physical prototypes were altogether eliminated





2.4. Life Sciences

Industry context and sustainability challenges

Life Sciences is an umbrella term for organizations that work toward the improvement of life²⁸, and broadly encompasses pharmaceuticals, biopharmaceuticals, biotech and medtech. It is also linked to a considerable part of venture capital flows²⁹ and is characterized by one of the most significant levels of R&D spending as a proportion of revenues in the private sector³⁰.

There is a growing recognition that the pharmaceutical industry, considered to be a medium-impact sector^{vi}, must do more to improve its sustainability performance³¹.

Data suggests that the pharmaceutical industry's GHG emissions are increasing, despite efforts to decarbonize due to increasing drug demand globally³². Moreover, analysis of emissions per Million dollars of revenue finds that the global pharmaceutical industry is approximately 55% more emissions intensive than the automotive industry³³.

Virtual twin applications in production plants can drive benefits for the environment. For example, botanical pharmaceuticals manufacturing can achieve significant process time reduction (factors 5 – 20) resulting in cost of goods reduction (factors of 2 – 10) and GHG emissions abatement (factors 4 – 20)³⁴.

Virtual twin applications can help botanical pharmaceutical manufacturing, for example, to achieve GHG emissions abatement by a factor of 4 – 20



Use case: Manufacturing plant optimization for pharmaceutical products with process virtual twins

USD \$106 Bn incremental opex savings and 61 Mt of CO₂e emission reductions

In this use case, the virtual twin is of the production process. The technological building blocks that enable such solutions include IoT, advanced analytics and machine learning. Chemical mixing processes and the use of solvents is one of the major drivers of process-related waste and emissions in pharmaceuticals manufacturing³⁵.

Simulations of these processes can enable scientists and plant operators to run multiple scenarios with the objective of finding the optimal configuration, accelerate the speed and accuracy and reduce waste, including related emissions.

In addition, recycling solvents, using fewer fresh solvents or burning less solvent waste has been shown to reduce total emissions for a process significantly³⁶—something that process virtual twins can also help address.

For this use case, we have prioritized and focused on two value drivers where impact is most evident^{vii}:


- Reduction in Cost of Goods Sold
- Reduced embedded carbon footprint

USD \$106 Bn

reduction in cost of goods sold due to lower operating expenses (thanks to accelerated time-to-market and reduced material and energy cost base, improved quality in the production process)

61 Mt CO₂e

reduction in production GHG emissions due to efficiency improvements and lower solvent and material usage




Use case: Manufacturing plant optimization for pharmaceutical products with process virtual twins

Case study: Sanofi's Framingham lighthouse facility

The Framingham production facility is a digitally enabled, continuous manufacturing facility where the production process is connected with R&D. Virtual twin technology is used to optimize remote manufacturing through the use of real-time data capturing and analysis. The whole industrial process is digitalized and paperless and is 80 times more productive than a traditional factory. It can make medicines in less time for twice the number of patients and all within a smaller environmental footprint.

Observed performance indicator improvements include: 80% reduction in energy consumption and CO₂e emissions per year, 91% reduction in water footprint, 94% reduction in use of chemicals and 321 tons of waste reduction per year³⁷.





2.5. Electrical and Electronics

Industry context and sustainability challenges

The electrical and electronics industry holds significant importance in today's economy—the consumer electronics sector alone is estimated to have a market value of \$1 Trillion worldwide³⁸. These technologies have also become an inseparable part of modern life—half of the world's people now own a smartphone³⁹.

But the industry faces sustainability challenges such as the high rate of device replacement—the manufacturing stage of electronic equipment alone is responsible for more than a third of the associated CO₂e lifecycle emissions⁴⁰.

Appropriate disposal and recycling of products presents further challenges. With e-waste officially the fastest-growing waste stream in the world⁴¹, it is imperative to improve value recovery, GHG emissions intensity and limit risks to human health^x. This is an especially grave challenge if we consider that in 2019, only 17.4% of the 53.6 Million tons of e-waste was properly disposed of, collected and recycled⁴².

Virtual twins can help product designers embed and follow circular economy principles throughout each stage of design. Research has also focused on exploring how virtual twin technologies can help address the e-waste problem^{43, 44}.

In 2019, only 17.4%
of global e-waste was
properly disposed of,
collected and recycled



Use case: Waste electric and electronic (WEEE) equipment value recovery supported by digital continuity

USD \$73 Bn additional value generated and 36 Mt CO₂e emissions avoided

This use case focuses on the role of virtual twin technology in better managing e-waste, looking at how the technology can help extend product life by better facilitating repairs and reuse and increasing overall e-waste recycling rates by making information available to value chain participants downstream on material and chemical content.

In this use case, the technology supports the manufacturing and remanufacturing or repair of products from both process optimization and data continuity perspectives. It provides a virtual record reflecting the actual status of a device in terms of health and performance of its components, which can support the repair process planning.

Additionally, typically when a device reaches recyclers, a significant amount of data and

knowledge has been lost—particularly from the product development, manufacturing and service life stages. Virtual twins, through enhanced digital continuity, can enable a constant flow of information between value chain participants. The recycler can initiate appropriate process steps without the need for additional tests or inspection⁴⁵.

For this use case, we have prioritized and focused on three value drivers where impact is most evident^x:

- Added value from equipment re-use and refurbishment
- Emissions reduction through improved refrigerant release
- Emissions avoided through product life extension

USD \$73 Bn

additional revenue from the increase in refurbishment and re-use of the equipment rather than recycling for material recovery

31 Mt CO₂e

emissions reduction from the release of refrigerants through better handling of relevant WEEE

5 Mt CO₂e

emissions avoided by decreasing the total amount of the informally processed e-waste and associated negative environmental impacts



Use case: Waste electric and electronic (WEEE) equipment value recovery supported by digital continuity

Case study: Circularise

Circularise is a Dutch start-up focused on commercializing blockchain-based transparency and traceability technologies for the circular economy.

Their solution enables a wide range of stakeholders across the value chain to share information on product material content and flows e.g., mining companies, electronics manufacturers, collection services and recycling companies. The final output is a QR code that provides important data for recyclers.

For example, some computer monitors have a mercury lamp that needs to be removed, however because no one knows which monitors are fitted with these lamps, all are often opened by hand for inspection. This same concept can be applied to electronic plastic components, many of which contain plasticizers and stabilizers which, over time, get regulated and pose a barrier to recycling when difficult to identify and measure. The start-up has also developed proprietary methodology to safely manage IP rights and avoid the sharing of commercially sensitive information within the industry ecosystem⁴⁶.



2.6. Other notable use cases enabling circularity


Overview

This chapter seeks to shift away from the industry-specific context and highlight additional use cases for virtual twin technologies that can support sustainable business outcomes across multiple industries, with significant circular value potential.

The two use cases, shown in Figure 6, both support the circular economy and increased resource efficiencies and are based on maturing solutions which, in technological terms, combine supply chain virtual twins, digital threads and advanced scenario modeling techniques.

Figure 6: Use cases highlighted in this chapter

USE CASE	KEY INDUSTRIES FOR IMPLEMENTATION	DESCRIPTION
 <p data-bbox="943 622 1160 706">1. Optimization of material flows and waste valorization</p>	<ul data-bbox="1229 622 1518 706" style="list-style-type: none"> • Mining and basic materials • Industrial goods • Automotive 	<p data-bbox="1554 561 2092 769">Use of supply chain virtual twin technology and applications to enable end-to-end visibility of key material flows and related KPIs, including waste and by-products. This includes key supply chain elements such as material inflows and outflows, factory locations, suppliers, stocking points and routes. Building a detailed, live picture of material flows is a fundamental step toward achieving a more circular economy.</p>
 <p data-bbox="943 858 1205 971">2. Parts and material recovery optimization for decommissioned assets</p>	<ul data-bbox="1229 887 1406 946" style="list-style-type: none"> • Industrial goods • Automotive 	<p data-bbox="1554 813 2092 1021">This use case is based on the use of product virtual twins and plant (facility) simulation technologies together, at the end-of-life, or decommissioning stage, for manufactured assets. Process optimization analysis and scenario modeling capabilities help facilitate the recovery of valuable parts and materials in an efficient and economically viable way. This helps limit the extraction and consumption of virgin raw materials.</p>



Use case spotlights

Use case 1: Optimization of material flows and waste valorization

The circular economy is a key framework for sustainable growth, widely accepted by business leaders across industries, as well as policymakers. Client work and research delivered by Accenture over the years has demonstrated countless times that it is feasible to transform discrete linear processes, facilities and supply chains to more circular capabilities and operations, leading to improved material and resource use—often with limited or no capital investments.


To truly pivot toward a circular economy, organizations need more and better information on how they use materials, where and what waste streams arise and whether those can be converted to resources and re-used, internally or externally.

Therefore, end-to-end, dynamic visibility of material flows is fundamental to measuring and improving resource productivity. We measure material intensity at the macroeconomic level and have broadly established that sectors that are less material intensive have higher rates of productivity⁴⁷. Yet, only a few organizations track business material intensity to inform their circular economy or sustainability strategies.

Virtual twin technologies, by virtue of their capacity to bring together data from all stages of the product and production lifecycles, weave information together and analyze it to identify opportunities for improvement, track performance and inform decisions.



These technologies can be used to operationalize targets to become more material and resource efficient and drive financial benefits, including valorizing waste streams. This is particularly relevant for material and energy-intensive businesses involved in the production of intermediate goods such as in the metals industry.


The table below outlines key value drivers, together with supporting illustrative examples, to frame the benefits this use case enables as factually as possible (see Figure 7).



Use case spotlights

Figure 7: Use case key value drivers (non-exhaustive and illustrative)

VALUE CATEGORIES	KEY VALUE DRIVERS (NON-EXHAUSTIVE)	DESCRIPTION AND EXAMPLE (ILLUSTRATIVE)
 Business (economic value)	Enhanced revenue from waste valorization	The process of steelmaking produces a number of by-products that can potentially be recycled. One of these is Linz-Donawitz (LD) slag; ArcelorMittal Tubarão (Brazil) makes as many as 30 new products from LD slag, mostly for construction applications ⁴⁸
	Lower material procurement costs	Jaguar has processed over 360k tons of scrap back into its vehicles since 2013 ⁴⁹ , or about 51k annually; this equates to ~1/3 of its annual usage of aluminum ⁵⁰ ; whilst the economics are not public information, we assume a strong business case given the longevity and progress of the initiative
	Reduced inventory levels and costs	Dassault Systèmes' client in the Mining and Basic Materials industry has achieved better utilization of scrap enabling a reduction of inventory at any given time (8 – 10k tons)
 Sustainability value (environmental and /or social)	Reduced biodiversity impact from resource extraction	Mining affects biodiversity at multiple spatial scales (i.e., site, landscape, regional and global) through direct (i.e., mineral extraction, waste/tailings generation) and indirect processes (e.g., via industries supporting mining operations) ⁵¹
	Reduced impact from resource extraction on water	Water (surface and ground) pollution and consumption from mining operations is a major concern; withdrawals estimates vary considerably from case to case but the "average" gold mine uses ~0.350 m ³ /metric ton of ore-grade rock (2013) ⁵²
	Reduced climate emissions from resource extraction	Creating recycled aluminum uses around 90% less energy than raw material production ⁵³ ; delivering on the 2-degree climate scenario implies 50-80% emissions reduction from mining




Use case spotlights


Case study: Global aluminium company

An aluminum company was looking to reduce raw virgin material use and achieve end-to-end visibility of material flows. Its main challenge was the maximization of scrap utilization rates, both from scrap generated during the production process and post-consumer scrap flows recovered by third parties.

Approximately 50% of the production cost was attributable to the cost of raw material, and metals market volatility is a persistent risk, so this challenge was business critical. As an indication, a 1% increase in scrap usage represents more than €1 Million in savings annually. Deploying a supply chain virtual twin solution provided plant operators with improved, more detailed visibility and orchestration capabilities of operations, enabling better utilization of aluminum scrap.

This resulted in a reduction of inventory, by circa 8 – 10k tons at any given time. It also accelerated a push from the company's procurement teams to establish new strategic partnerships with third party scrap providers, helping to further formalize the metal scrap industry and strengthen the commercial prospects for secondary raw materials.





Use case spotlights

Use case 2: Parts and material recovery optimization for decommissioned assets


This use case highlights the value of virtual twins for end-of-life management, helping to improve the efficiency and economics of decommissioning, including parts and material recovery, which are key elements to delivering a more circular economy. 3D virtual twins and simulation technologies, in combination with asset operational data, can be used to simulate every dismantling step before execution starts. This provides an opportunity to identify and define an optimal, safe decommissioning process and provides enhanced visibility of raw materials, valuable parts and components—whether from a building, vehicle, ship, airplane or energy asset. The collaborative nature of virtual twin solutions enables teams from design and engineering to decommissioning to work together in developing a process that yields the highest volumes and quality of resources. In addition, the capability to retrieve design, material and operational data and share it downstream, means that any material or recovered part can potentially be exchanged for its true value, avoiding downcycling where possible.

For example, metal recycling techniques for end-of-life vehicles (ELVs) are based on mechanical treatments to recover mainly steel, aluminum, copper, and zinc alloys. However, a vehicle can use more than 60 metals, which end-up downcycled and are functionally lost⁵⁴.

Additionally, the untapped potential to increase plastics circularity in transportation assets is also high and new policy measures in Europe are likely to accelerate this⁵⁵.



Finally, even out at sea, we are only just starting to plan for the decommissioning of offshore wind energy projects that are approaching the end of their 20 – 25-year lifecycles, and virtual twins can help us better plan and manage their decommissioning in advance.


The table below outlines key value drivers of this use case, together with supporting illustrative examples (see Figure 8).



Use case spotlights

Figure 8: Use case key value drivers (non-exhaustive and illustrative)

VALUE CATEGORIES	KEY VALUE DRIVERS (NON-EXHAUSTIVE)	DESCRIPTION AND EXAMPLE (ILLUSTRATIVE)
 Business (economic value)	Reduction in decommissioning costs and time	Increase in the quality and quantity of recovered materials and parts due to better process management and enhanced data availability at the decommissioning stage
	Enhanced regulatory compliance	Aircraft dismantling must comply with existing rules and regulations issued by the ICAO relating to aircraft airworthiness, general and hazardous waste management and recycling ⁵⁶
	Enhanced infrastructure reuse	Significant efforts are being undertaken to reuse end-of-life energy infrastructure. Examples of re-use include conversion of offshore rigs into CO ₂ storage tanks and reef-like infrastructures ⁵⁷
	Value from decommissioning insights for continuous improvement	This is particularly important for new, low-volume waste streams that are expected to grow exponentially in the future, such as aircraft and wind turbine composites ⁵⁸
	Enhanced employment opportunities	Some studies suggest that the employment gains from resource efficient and circular economy policies range between 0 – 2%, with one study predicting employment gains of up to 7% ⁵⁹
 Sustainability value (environmental and /or social)	Improved recovery for “more difficult” materials	Globally, copper recoverability is relatively low for a metal, at only 40 – 60%, primarily because it is more dispersed, hard to collect, is intermingled with other materials and is non-ferrous
	Reduction in downcycling	Based on previous Accenture research, only a tenth of the recovered iron and steel from scrapped vehicles is used to make new cars; rare metals and engineered alloys end up downcycled ⁶⁰
	Reduction in waste sent to incineration or landfill	Despite the high recycling rates (95% mandated by law), more than 10% of the weight of a car in Europe is still sent to energy recovery at end-of-vehicle-life
	Improved environmental performance in asset decommissioning	Energy asset decommissioning will ramp up as the world shifts away from fossil hydrocarbons—these activities should be handled carefully in order to minimize environmental impact




Use case spotlights

Case study: Offshore energy asset decommissioning

Oil extraction is coming to an end across most of the North Sea as the world continues to move towards more sustainable sources of energy. This situation also extends to other corners of the world. As operators of these oil platforms begin to plan their decommissioning at the most optimal costs, it is essential to ensure the structures' removal in an environmentally sound, safe and circular way. The structures will be disassembled into manageable pieces, loaded onto barges, and brought to shore for re-use, recycling, or disposal.

The latest intelligent solutions for plant decommissioning combine a virtual twin of any marine or offshore asset with data analytics, modeling and scenario simulation, allowing operators to make the right choices faster to improve efficiency, safety, integrity, performance, return on investment and reduce their carbon footprint. In selected case studies, savings between 9-30% are possible for decommissioning activities ranging from topsides and jacket removal to subsea infrastructure, facilities, "de-energizing", operator costs, onshore recycling and site remediation and monitoring⁶¹.



Perspectives from industry leaders and the way forward



Perspectives from industry leaders and the way forward

To identify how the adoption of virtual twin technologies can increase to drive greater sustainability benefits and move towards systemic transformation and circular economies, we spoke with business leaders and experts from our selected in-scope industries^{xi}. These discussions, along with our research and analyses, informed five key recommendations for how we can better harness the potential of virtual twin technologies (see Figure 9).

- 1. Tie together technology and sustainability agenda**
- 2. Improve understanding**
- 3. Focus on disruptive, systems-change use cases**
- 4. Deploy responsibly**
- 5. Rally ecosystem support**

We spoke with business leaders and experts from our selected in-scope industries



1. Tie together technology and sustainability agendas

Leaders must help drive change toward measuring and tracking value from sustainability, connecting it tangibly to corporate and growth strategies, and factoring that value in technology and innovation investment decision-making. This should start with internal change management and alignment of technology and sustainability priorities, as well as broader external and practical support for harnessing technology for sustainability e.g., multilateral initiatives, public endorsement, thought leadership etc.

“This meeting is the first time we discuss how twins can impact the long term, the environment.”

Global Pharma Co




2. Improve understanding

Organizations must first develop a clear, data-driven view of their own pain-points and requirements. Limited awareness of the topic means most organizations struggle to identify the right use case for their needs. This is compounded by the need to understand the broader infrastructure requirements and how to bypass legacy constraints from installed footprint in production facilities, gaps in terms of data exchange and real-time virtual twin capability.

“Quite a few barriers... but one of the biggest ones is the identification of the right use case.”

Global Tech Co



3. Focus on disruptive, systems-change use cases

Efforts to scale solutions must be concentrated at the systems transformation level. Efficiency improvements are a good starting point, particularly in industries where there are significant “quick wins” to be made. However, over time stakeholders must shift their focus on high-effort, high-impact interventions, such as the enablement of the circular economy and industry decarbonization at scale, which will require more tailored solutions. This should be done at speed and at scale to ensure we meet our Global Goals. Industry stakeholders should use the opportunity to test, learn, adapt and deploy, to find and scale these disruptive use cases quickly and effectively.

“Efficiency alone will not get us to net-zero or get us to a circular economy.”

Global FMCG Co



4. Deploy responsibly

Technology vendors and buyers have a responsibility to ensure virtual twin solutions facilitate a standardization of methods, metrics and data transparency. There is also a risk that smaller businesses and start-ups are priced-out, as current focus centers on large multinational organizations based in the Northern hemisphere. Particular attention must be given to emerging and developing markets where the need for “sustainability-minded” solutions is high, but awareness, accessibility and affordability are often limited.

“Ensure that SMEs and startups are not excluded, priced-out from these technologies.”

Electric Mobility Co



5. Rally ecosystem support

Virtual twin technologies are often used for designing complex, industrial-scale sustainability breakthroughs. As these are vast projects with broad implications, organizations must work towards building a broader coalition of support across the business community and other key stakeholder groups. This can help provide best-in-class learning opportunities across and within industries, help drive greater adoption of virtual twin technologies at scale, moving past pilot implementations, and provide improved and inclusive technology development.


There is also an opportunity to link initiatives with relevant public sector programs, such as those driven by the European Union in the domains of sustainable innovation, circular economy, climate change mitigation and adaptation. Collaboration with these institutions could help de-risk use cases where private capital may be too risk-averse to support, and provide leading thinking and greater support.

“Digital twins could be key for the circular economy, which is the future of design.”

Global Tech Co

Harnessing virtual twins for sustainability would require stakeholders to focus on five priority areas out to 2030

Figure 9: Five priority areas of action for the future



In conclusion

This study aims to demonstrate and frame the disruptive potential of virtual twin technologies. We have looked at a variety of industries and use cases to demonstrate the breadth and potential of the technology, and illustrate how it can be used throughout product life cycles to drive significant end-to-end benefits.

Through the five use cases studied, virtual twins can deliver combined **incremental benefits of USD \$1.3 trillion of economic value and 7.5 Gt CO₂e emissions reductions between now and 2030**. In addition to these sizeable benefits, virtual twins also have the potential to create more disruptive innovation and designs, enable new service development, reduce regulatory and HSE risk and enable cross-functional collaboration and co-working.











These benefits will not only improve business competitiveness, but will also **drive systemic progress towards a more circular and significantly less carbon intensive economic system** and help us achieve our Global Goals to 2030, which is a critical step in the Decade to Deliver.


To support this transformation at the speed and scale we need, we must drive a greater understanding of the technology use cases and benefits, and look to better measure combined business and sustainability ROI as part of the business case. We hope that this paper is a first step on that journey, showcasing the potential for disruptive innovation, and can inspire the next wave of leadership to think about the combined benefits of technology and sustainability.

Appendix



Figure 10: Focus use cases for the study across the in-scope industries

INDUSTRY	USE CASE (CONTEXTUALIZED FOR INDUSTRY)	DESCRIPTION
 Construction and Cities	 Enhanced urban design through simulation, planification and optimization	Use of virtual twin technologies to visualize, scenario-model and optimize urban building and infrastructure systems to enhance citizen experience, resource efficiency, climate change resilience etc.
 Consumer Packaged Goods	 Manufacturing plant optimization for FMCG products with process virtual twins	Use of factory virtual twins in the CPG industry to identify process improvements leading to efficiencies across business and sustainability drivers e.g., capacity increase with existing assets, raw materials and energy usage reduction, product quality improvement, waste and rework reduction etc.
 Transportation and Mobility	 After-market performance optimization via virtual twin technologies	Capturing performance data via virtual twins and digital threads from assets in the use phase and analyzing it to provide actionable insights to improve product and support system efficiency and increase asset life
 Life Sciences	 Virtualization of clinical trials enabled by virtual twin technologies	Combining data science, virtual collaboration, modeling, and simulation (including of the human body), for “in silico” drug/device development, reducing impact on animals and people, use of resources and time-to-market
 Electrical and Electronics	 Circular electrical and electronic product design enablement	Use of virtual twin technologies to embed sustainability at the design stage by considering material footprint and facilitating circular economy principles e.g., reuse, reduce, repair, recycle



Use case: Enhanced urban design through simulation, planification and optimization


Opportunity for GDP uplift, municipal cost savings and improved urban sustainability, resilience and citizen well-being

To be sustainable and resilient, cities need to have the ability to change, adapt and transform. Virtual twins enable a more informed vision for the future through analysis, visualization and experimentation. Their ability to consolidate large swaths of data, anticipate possible scenarios and help plan climate change adaptation measures is key to maintain a city's attractiveness.

This use case focuses on 3D modeling, simulation and data tools that can create accurate digital copies of entire cities, enabling planners, designers and engineers to improve their designs and measure the effect of potential changes by running what-if scenarios in a safe, virtual environment.



In addition to map and terrain data, these platforms can incorporate real-time traffic and weather data, logistics networks, demographic and climate information, enabling informed decision-making for a wide range of stakeholders. Virtual twins enable smart cities—a key solution to achieve sustainable, resilient urbanization.


Virtual twins of cities create value for a broad range of stakeholders across the public, private and societal spectrums. Still in early stages of adoption around the world, it is difficult to develop a detailed benefits analysis, however the table below outlines key value drivers, together with supporting examples (see Figure 11).



Use case: Enhanced urban design through simulation, planification and optimization

Figure 11: Use case key value drivers (non-exhaustive and illustrative)

VALUE CATEGORIES	KEY VALUE DRIVERS (NON-EXHAUSTIVE)	DESCRIPTION AND EXAMPLE (ILLUSTRATIVE)
 Business (economic value)	Economic growth uplift	Research examining the impact of smart city technologies on GDP (e.g., 5G; low-power, wide-area roadside sensors; IOT, etc.), has highlighted up to 3% incremental uplift and USD \$20 Trillion in additional economic benefits by 2026 ⁶²
	Cost savings from enhanced city management and automation	Cost savings from improved efficiencies of city operations, such as waste management. Pilot schemes with smart, IoT-connected waste containers have seen collection frequency reduced by 70-80%; a town in Ireland achieved €200,000 annual savings and a reduction of 69 tons of CO ₂ e ⁶³
	New revenue streams from data monetization	For example, via open access to city-related real-time data for third-party developers, start-ups, and businesses; open data policies can generate incremental economic gains of up to USD \$500 Million for a typical megacity in a developed country ⁶⁴
	Enhanced urban resilience to weather events	For example, the 2012 Toon monsoon caused £8 Million worth of damage in Newcastle when a month's rainfall fell in just two hours during rush hour. A city virtual twin could predict which buildings would likely be flooded, which infrastructure will be closed and enable better planning and response ⁶⁵
 Sustainability value (environmental and /or social)	Decreased waste from inefficient infrastructure management	Helping to address poorly/inefficiently scheduled infrastructure maintenance and mapping of services in the ground e.g., digging up roads; damage to energy, data and water networks; inability to identify leaks underground etc.
	Enhanced urban energy efficiency	For example, for Nanyang Technological University in Singapore, 3D planning and operational modelling of 21 buildings, virtual testing, and performance optimization identified energy savings of 31% per annum ⁶⁶
	Reduced emissions from urban traffic	A real-time view and control of assets (e.g., a traffic signal) and entire infrastructure systems (e.g., a major city road, ring road, etc.) gives operational teams the ability to predict issues, smooth traffic flow, mitigate risks etc. ⁶⁷
	Decreased health risk from poor urban air quality	Air quality can vary widely from one street to another in dense cities due to differences in traffic and ventilation conditions. Access to real-time street-to-street variations in air quality information and health risk information can enable users to make informed decisions concerning daily outdoor activities



Use case: Enhanced urban design through simulation, planification and optimization

Case study: Virtual Singapore


Virtual Singapore is led by the National Research Foundation Singapore together with the Singapore Land Authority (SLA) and Infocomm Development Authority of Singapore (IDA). It was commissioned in 2015 and aims to create a high-fidelity, real-time data virtual twin of the city.

Powered by sophisticated analysis of images and data collected from public agencies and real-time sensors, Virtual Singapore is designed to give a whole new meaning to the term “smart city”—it aims to capture all moving parts of the city and track what is happening in real time.

Virtual Singapore will enable city planners to test various responses to everything from population growth and resource management to public events and building patterns, and implement those that create the safest, most positive experiences.

Figure 12: Virtual Singapore





Use case: Enhanced urban design through simulation, planification and optimization

Additional focus: EU project “Destination Earth (DestinE)”


Destination Earth (DestinE) is the European Union’s project to create a virtual twin of the planet and will unfold over this decade. The objective of the Destination Earth initiative is to develop a very high precision virtual model of the Earth to monitor and simulate natural and human activity, and to develop and test scenarios that would enable more sustainable development.


DestinE will contribute to the European Commission’s Green Deal and Digital Strategy. It will unlock the potential of virtual modelling of the Earth’s physical resources and related phenomena such as climate change, water/marine environments, polar areas and the cryosphere, etc. to accelerate the green transition and help plan for major environmental challenges.

At the heart of DestinE will be a federated cloud-based modelling and simulation platform, providing access to data, advanced computing infrastructure, software, AI applications and analytics.

It will integrate virtual twins of planetary sub-systems, such as weather and climate, food and water security, global ocean circulation and the biogeochemistry of the oceans, etc. —giving users access to thematic information, services, models, scenarios, simulations, forecasts, and visualizations.

The platform will enable application development and the integration of users’ own data.





Use case: Manufacturing plant optimization for FMCG products with process virtual twins

Opportunity for cost, energy and waste reduction and quality improvement in manufacturing consumer packaged goods


Manufacturing operations have long been an area of focus for the implementation of virtual twin technology (both for process and asset optimization). It is a data-rich environment that is relatively insulated from the external world.

Virtual twins in this context allow designs to be optimized for manufacturing and layouts, material flows and processes to be tested, refined and automated.

Modelling and simulation of discrete production processes or entire factories enable plant operators to analyze enormous amounts of information, find productivity improvements, cut costs and make production processes more efficient, flexible and less resource intensive per unit of output.



In addition, the implementation of such technologies across plants can support digital skills transformation in the workforce.


Virtual twins for FMCG manufacturing are in the early stages of adoption around the world and CPG case studies with publicly available data on observed improvement ranges are still relatively few. The table below outlines key value drivers, together with supporting examples (see Figure 13).



Use case: Manufacturing plant optimization for FMCG products with process virtual twins

Figure 13: Use case key value drivers (non-exhaustive and illustrative)

VALUE CATEGORIES	KEY VALUE DRIVERS (NON-EXHAUSTIVE)	DESCRIPTION AND EXAMPLE (ILLUSTRATIVE)
 <p>Business (economic value)</p>	Productivity uplift from enhanced automation	Unilever pilot in Brazil saw a 1 – 3% productivity increase ⁶⁸ ; Henkel has reported a 30% overall equipment effectiveness (OEE) improvement from its real-time global OEE-boosting platform ⁶⁹
	Cost savings from optimized resource use	Dassault Systèmes report that its 3DEXPERIENCE twin Model Based Systems Engineering (MBSE) solutions have yielded COGS reductions of up to 27% across client case studies ⁷⁰
	Increased capacity within the plant	Production optimization with virtual twin technologies can enable the freeing up of capacity in the factory without installing extra equipment; up to 18% increase in throughput ⁷¹
	Product design optimization enablement	Production data capturing and analytics can be used to inform design and management decisions at the product portfolio level
	Fewer interruptions and downtime	Unilever has been able to reduce the number of alerts requiring action by 90% per day, ensuring far fewer interruptions ⁷²
 <p>Sustainability value (environmental and /or social)</p>	Reduced energy consumption	Henkel has set-up a cloud-based data platform that connects 30+ sites and 10+ distribution centers in real time; a virtual twin for sustainability solution has yielded a 38% reduction in energy ⁷³
	Reduction in production waste	Solutions help to remove bottlenecks and assign the right materials to the right orders to reduce waste; Unilever has reduced its material waste by more than 42% in its Dubai, UAE, factory as a result of digital E2E quality management ⁷⁴
	Enhanced employee upskilling opportunities	Training techniques can be tied to the technology, and include gamification, digital learning pathways, virtual reality and augmented reality learning tools



Use case: Manufacturing plant optimization for FMCG products with process virtual twins


Case study: Virtual twins in logistics

One critical part of any supply chain optimization effort is constructing an adequate level of transparency and visibility of the supply chain itself. This is especially important when the focus is on improving your environmental or social footprint in forward and reverse logistics. For example, reducing CO₂ emissions by only focusing on reducing miles driven provides limited results.

While there is a strong correlation between a reduction in driving distance and a reduction in CO₂ emissions, there are other considerations that can be taken into account such as vehicle type, local carbon tax and type of driving (e.g., urban versus highway, road topography etc.) that can greatly impact the CO₂ emissions of a fleet.

Capturing these differences in CO₂ emission calculations via a virtual twin tool can help create a logistics plan via mathematical optimization according to the goal of minimizing CO₂ and in consideration of a range of key variables beyond only minimizing distance.

Figure 14: The KPIs for CO₂ emission displayed prominently and tracked for each leg of a route





Use case: After-market asset performance optimization enabled by virtual twin technologies

Opportunity for cost and waste reduction, new revenue streams, improved safety and longer asset lives

This use case focuses on the application of virtual twins for performance optimization during the vehicle use phase, and as a way to provide better service and reliability for owners. Once on the road, the physical asset remains connected to its virtual twin, feeding it data on use patterns and performance and driving conditions and servicing needs, improving the predictive capabilities of the virtual twin over time.

The virtual twin also feeds back software updates based on the needs of that individual vehicle. It can make recommendations for maintenance and servicing that are tailored and prescriptive, minimizing inefficient allocation of resources associated with traditional time and condition-based maintenance approaches.

Based on these applications, virtual twins are reported to enable 20 – 30% improvements in asset life extension due to timely software and hardware interventions.



Additionally, the data and insights gathered over the life of an asset are invaluable in enabling the development of improved iterations in the future, particularly relevant for the mass adoption of electric vehicles.

Virtual twins for vehicle operations optimization and monitoring are at the early stages of development but are increasingly becoming essential for the development and scaled adoption of electrified powertrains. The table below outlines key value drivers and supporting examples (see Figure 15).



Use case: After-market asset performance optimization enabled by virtual twin technologies

Figure 15: Use case key value drivers (non-exhaustive and illustrative)

VALUE CATEGORIES	KEY VALUE DRIVERS (NON-EXHAUSTIVE)	DESCRIPTION AND EXAMPLE (ILLUSTRATIVE)
 Business (economic value)	Incremental R&D benefits	By calibrating and improving the fidelity of a virtual twin with operational data coming from vehicles on-the road, OEMs can later use that intelligence in the development of new products
	Decrease in warranty and service costs for vehicles	In general, automotive OEM's spend 2 – 5% of their revenue on service and warranty costs, a range between \$4 – 7Bn; conversely, Tesla's warranty cost has been 0.9 – 1.8% since 2016
	New revenue streams from data monetization	Depending on legal constraints, OEMs could potentially share data with interested third parties to offer asset owners related goods and services
	New business models and revenue streams	Virtual twins can facilitate software over-the-air (SOTA) strategies and business models, where OEMs can develop new revenue streams based on SOTA updates, paid for upgrades, infotainment and telematics applications and services
 Sustainability value (environmental and /or social)	Extended asset life	Manufacturers of EV batteries and components report a potential 20 – 30% life extension for EV batteries
	Optimized resource usage	As maintenance becomes tailored and prescriptive, unnecessary time-based servicing is minimized or eliminated completely
	Facilitated remanufacturing, reconditioning	Data records and information from vehicle usage can enable more cost-effective remanufacturing or reconditioning at the end of first life
	Increased operational safety	Advanced warning and prediction of serious failures that are potentially harmful to humans



Use case: After-market asset performance optimization enabled by virtual twin technologies


Case study: Tesla Model 3 breaking issue fix


Consumer Report reported “big flaws” in Tesla’s Model 3 on its “long stopping distance” in its emergency braking test. As a result, it did not recommend the model and this was a serious blow to Tesla, a company who prides itself on its safety record.

That weekend, Tesla pushed out an over-the-air software update, one that the carmaker says tweaked the calibration of the vehicle’s antilock braking algorithm to cut the vehicle’s 60 mph stopping distance by 19 feet, to 133 units, about average for a luxury compact sedan. Nine days later, Consumer Report updated its review to give the Model 3 its recommendation.

Jake Fisher, the director of auto testing at Consumer Report said in a statement that: *“I’ve been at Consumer Report for 19 years and tested more than 1,000 cars, and I’ve never seen a car that could improve its track performance with an over-the-air update”.*

Tesla’s operational virtual twin capability is so advanced that it also allows the OEM to collect the mileage from its car across different locations with different wind conditions and calibrate its virtual twin aerodynamics (drag coefficient), so that its virtual twin is a true representation of reality.





Use case: Virtualization of clinical trials enabled by virtual twin technologies

Opportunity for increased access to clinical trials, improved patient experiences and reduced GHG emissions intensity

Greater patient involvement in clinical trials is becoming increasingly popular. Trial sponsors and clinical investigators are exploring new ways to immerse patients in trials—including their perspectives and better informing them about risks, benefits, and disease progression.

Additionally, data can now be collected outside the traditional clinical setting, thanks to the ubiquity of mobile technologies and networks, which has legitimized digital consumer devices as data collection sources that can generate reliable clinical information outside of the clinic. This has created a new challenge in managing the quality, quantity and validity of this data.

Here, we focus on how virtual twin technologies can support virtual clinical trials. For example, they can help create a comprehensive, virtual avatar of the individual patient based on data, designed to predict the outcomes of various therapies, enabling patients in partnership with their clinicians to “try” alternative interventions such as a new drug, in electronic simulation, via their virtual twin, before selecting the one likeliest to be beneficial.



Trials that are 100% virtual (all interactions are conducted remotely) are still the exception, but they exploit the fullest potential of digital connectivity and threads, allowing patients to participate in even long-term trials without leaving their home and sponsors to benefit from higher patient participation and cost savings^{viii}.


Research into the sustainability impact of virtual and hybrid clinical trials is limited and typically focuses on the human well-being factor. Whilst the available data does not allow for an in-depth analysis of environmental sustainability impacts, existing qualitative evidence does suggest a strong potential to achieve environmental benefits. The table below outlines key value drivers, with supporting examples, to frame these benefits (see Figure 16).



Use case: Virtualization of clinical trials enabled by virtual twin technologies

Figure 16: Use case key value drivers (non-exhaustive and illustrative)

VALUE CATEGORIES	KEY VALUE DRIVERS (NON-EXHAUSTIVE)	DESCRIPTION AND EXAMPLE (ILLUSTRATIVE)
 Business (economic value)	Cost savings from reduced total time spent in trials	Total time spent in trials is shorter on average due to more efficient enrolment, lower dropout rates and faster, more accurate data collection ⁷⁵
	Cost savings from more efficient patient recruitment	Patient recruitment is a key reason for clinical trial delays, with 80% of trials failing to meet enrolment targets and timelines. Patient recruitment via site visits and geographic location-based limits are a key hurdle ⁷⁶
	Cost savings from enhanced patient retention	Virtual trials can theoretically help reduce the current high drop-out rate of patients involved in phase III studies by circa 40% ⁷⁷
 Sustainability value (environmental and /or social)	Improved human health through early access to treatments	10,000 patients were able to use Medtronic's MRI-compatible pacemaker 2 years earlier than what would have previously been possible due to the use of computer models to get it approved ⁷⁸
	Improved patient convenience, safety and experience	Virtual clinical trials can be used to improve the comfort, convenience, and confidentiality for research participants ⁷⁹ ; "live" collection of data allows investigators to calibrate, modify, and possibly even interrupt a study more easily ⁸⁰
	Improved patient diversity	Virtualizing a significant component of clinical trials can help improve participation of underrepresented demographics and ethnic groups of people ⁸¹
	Emissions reductions from reduced energy use	Main sources of energy use in clinical trials are from premises and travel; during a 1 year audit of a sample clinical trial, GHGs were estimated at 126 tons of CO ₂ e ⁸² ; for comparison the EU27's annual carbon footprint is estimated at 7 tons/person (2018) ⁸³




Use case: Virtualization of clinical trials enabled by virtual twin technologies

Case study: The Living Heart Project

The Living Heart Project brings together cardiovascular researchers, educators, medical device developers, regulators, and practicing cardiologists on a mission to develop and validate highly detailed personalized digital human heart models.

These models aim to establish a unified foundation for cardiovascular in silico medicine and serve as a common technology base for education and training, medical device design, testing, clinical diagnosis and regulatory science—creating an effective path for rapidly translating current and future cutting-edge innovations directly into improved patient care.





Use case: Circular electrical and electronic product design enablement

Opportunity for enhanced revenues and customer centricity, GHG emissions and waste reduction

This use case focuses on the use of virtual twin technologies to develop electric and electronic products which better embed and follow circular economy principles to optimize the use of resources throughout the product lifecycle.

3D modeling and simulation enables product designers and engineers to explore unlimited sustainable innovation options. For example, advanced tools can support in silico exploration and development of battery materials, specifically looking at modular architecture development, visibility of embedded footprint and sourcing risks.

More broadly, these technologies enable OEMs to decrease their product impact by design, economically and with minimum risk thanks to virtual simulation, data analytics and enhanced collaboration between designers, engineers and production operators.



The positive value created spans the entire product lifecycle: more durable and efficient products that are easier to repair, put apart and recycle at the end of their useful lives.

It is not objectively feasible to attribute discrete sustainability outcomes to the use of virtual twin technologies in the design of electric and electrical products at the industry level. Individual case studies, however, help highlight the role of these technologies as an important enabler of sustainability. The table below outlines key value drivers, together with supporting examples, to frame the value of this use case (see Figure 17).



Use case: Circular electrical and electronic product design enablement

Figure 17: Use case key value drivers (non-exhaustive and illustrative)

VALUE CATEGORIES	KEY VALUE DRIVERS (NON-EXHAUSTIVE)	DESCRIPTION AND EXAMPLE (ILLUSTRATIVE)
 Business (economic value)	Decrease in raw material costs	For washing machines, estimations show net material cost savings of more than 12% of total industry input costs, assuming 50% of EOL machines are refurbished and 50% are recycled ⁸⁴ ; 30% average weight savings achieved by generative design
	New revenue streams from service models	In 2019, HP's sustainability program drove more than USD \$900 Million of new revenue based on circular business models and re-use of plastic materials, a 35% increase from 2018 ⁸⁵
	Revenue increase from price premiums for durable products	For Electrolux in 2019, the top range of home appliances accounted for 23% of total units sold, but 32% of consumer product gross profit ⁸⁶
	Reduced compliance risk and potential financial losses	In 2019 for the first time, measures under the EU Eco-design Directive were included to support the reparability and recyclability of products ⁸⁷
 Sustainability value (environmental and/or social)	Reduced use of raw materials (from enhanced durability)	Given similar material compositions and production, replacing 5 x 2,000-cycle life machines with 1 x 10,000-cycle life machine yields ~180 kg of steel savings and >2.5 tons of CO ₂ e savings
	Lower embedded product footprint	For Apple, the use of recycled materials cuts the CO ₂ e footprint of products by ~50% on average ⁸⁸
	Increased product efficiency (during use phase)	In Europe, which represents 38% of total Electrolux sales, energy efficiency has improved by an average of 2% per year since 2015 as a result of eco design initiatives ⁸⁹



Use case: Circular electrical and electronic product design enablement

Case study: Global Tech Co

A global manufacturing computer hardware Tech Co set a goal to reduce the embedded carbon footprint of their new product by 45% and increase the use of recycled structural materials by 50%.


Virtual twin simulation technology makes it possible to study significantly more design options and optimize product performance whilst delivering on sustainability KPIs. Product developers studied the virtual prototype behavior with a wide range of scenarios across thermal and acoustic performance and electromagnetic behavior. Generative design and advanced mechanical simulation and optimization led to lighter structural parts as well as higher torsion and flexion performance. They also allowed a significantly higher-than-usual rate of recycled materials.

Importantly, virtual twin technologies enabled the company to reach its sustainability goals: the new computer has a lower carbon footprint of 47% compared with the previous generation, and a shell made of 100% recycled materials.



Industry scope

Figure 18: Focus industries for research



The figures below depict the criteria, definitions and industry prioritization output

Figure 19: Proposed criteria focuses on business relevance, carbon and economic impact




Figure 20: Criteria for industry prioritization: High/ Medium/ Low definitions

	BUSINESS RELEVANCE TO 3DS	CARBON EMISSIONS IMPACT	ECONOMIC VALUE IMPACT
HIGH	Industry/market is a key revenue stream for the business and/or high investment area	Direct or indirect contribution to more than 10% of global GHG emissions/carbon equivalent	Industry amongst the top 10 globally in terms of worth/\$-size; global GDP contribution, where known is >10%
MEDIUM	Industry market is a secondary revenue stream but encompasses potentially strategic tech use cases to assess and raise awareness on	Direct or indirect contribution to less than 10% of global GHG emissions/carbon equivalent but more than 2%	A smaller size industry but important for employment, intellectual capital development etc.; global GDP contribution, where known, is 2-10%
LOW	Industry/market is a secondary revenue stream with limited tech use case potential	Direct or indirect contribution to 2% or less of global GHG emissions/carbon equivalent	A smaller size industry; global GDP contribution, where known, is <2%

Figure 21: Industry prioritization output

INDUSTRIES	BUSINESS RELEVANCE TO 3DS	CARBON EMISSIONS IMPACT	ECONOMIC VALUE IMPACT	FURTHER NOTES AND RATIONALE (EDITED FOR SENSITIVE INFORMATION)
Aerospace and Defense	Medium	Medium	Low	<ul style="list-style-type: none"> • Carbon impact low-medium (5% attributable to defence; less to Aerospace manufacturing) • GDP contribution ~2% in US (2018); 0.5% in UK (2016); \$705 Bn globally (2019) or <1%
Construction and Cities	High	High	High	<ul style="list-style-type: none"> • Appx. 13% of global GDP (2017) • Appx. 10% of global carbon emissions attributable (28% incl. operational/ use phase, 2019)
Consumer Packaged Goods	High	High	Medium	<ul style="list-style-type: none"> • GDP contribution ~3% in US (2019); ~14% in UK (2019) • 90% of the sector's carbon emissions lie in the value chain (2019); upstream links to Agriculture, Transportation and Industry, proximity to end consumers – strategic importance for carbon
Energy and Materials	Low	High	High	<ul style="list-style-type: none"> • Significant carbon impact e.g., Electricity and heat generation accounts for ¼ of global GHGs • Significant value impact e.g., energy, oil and gas among the biggest industries globally
Electrical and Electronic Tech Hardware	High	Medium	High	<ul style="list-style-type: none"> • Carbon footprint of the ICT sector is about 1.4% of global GHGs; acute e-waste problem • In many dev. markets, the tech sector accounts for a significant portion of economic activity
Home and Lifestyle	Medium	Medium	Medium	<ul style="list-style-type: none"> • Medium carbon and economic value impact
Industrial Equipment	High	Low	Low	<ul style="list-style-type: none"> • Low-Medium importance to total value added in EU e.g., 3% in 2010 to the non-financial economy • Low carbon impact e.g. <1% of UK emissions in 2018 attributable to mfg. of equipment
Life Sciences	High	Medium	High	<ul style="list-style-type: none"> • OECD countries spent ~10% of GDP on health care in 2016; Pharma highly revenue-GHG intense • Health carbon footprint in 2014 constituted 5.5% of the total national carbon footprint in OECD
Marine and Offshore	Medium	Medium	Medium	<ul style="list-style-type: none"> • Assumed of medium econ. value due to strategic importance to global trade and economy (UN sources) • Maritime transport is ~2.5% of global GHG emissions; upstream energy emissions 5-37% of total
Transportation and Mobility	High	High	High	<ul style="list-style-type: none"> • Transport plays a key role in today's economy and has a large impact on growth & employment • Transport accounts for 1/3 of GHG emissions globally, with road the biggest proportion of that

Technology use case formulation and prioritization

The study is based on bottom-up research of virtual twin-related technology solutions already available on the market or currently in development, which hold a potential to operationalize sustainability objectives. The formulation stage was based on capturing a detailed use case for each technology-led solution (building a long list), a quick prioritization for relevance to sustainability objectives, aggregation and a simplification exercise. This helped to narrow the selection to ten aggregated use cases (the short list).

Figure 22: Industry agnostic list of ten use cases with potential to drive sustainability benefits; the seven circled in bright purple were prioritized for further analysis and inclusion in the final paper




Figure 23: Use case prioritization heatmap with use cases on the Y axis and Industry, Business and Sustainability impact on the X axis; shades of purple denote H/M/L index impact; grey denotes low industry relevance of use case

USE CASES	ELECTRONIC AND ELECTRICAL EQUIPMENT		CONSTRUCTION AND CITIES		CONSUMER PACKAGED GOODS		LIFE SCIENCES		TRANSPORTATION AND MOBILITY	
	Business Impact	Sustainability Impact	Business Impact	Sustainability Impact	Business Impact	Sustainability Impact	Business Impact	Sustainability Impact	Business Impact	Sustainability Impact
1	High	High	Medium	Medium	High	Medium	High	Medium	High	High
2	Low	Medium	Medium	Medium	High	High	High	Medium	Low	Medium
3	Low	Low	Medium	Medium	N/A	N/A	N/A	N/A	Medium	Medium
4	Low	Low	Low	Medium	Medium	Low	Low	Medium	Medium	High
5	Medium	Low	N/A	N/A	N/A	N/A	N/A	N/A	Medium	High
6	High	High	Medium	Low	N/A	N/A	Medium	Medium	Medium	High
7	Low	Low	N/A	N/A	High	High	High	High	Medium	Medium
8	Low	Low	N/A	N/A	Medium	Low	Low	Low	Medium	Medium
9	N/A	N/A	Medium	High	N/A	N/A	High	High	Low	Medium
10	Medium	Medium	High	High	N/A	N/A	Medium	Medium	High	High

The ten aggregated use cases were researched in detail to determine their relative potential to deliver sustainability and business benefits in an industry context.

Seven unique use cases were prioritized for further analysis for each industry based on evidence for both business and sustainability value creation potential.

Two additional use cases with a cross-industry applicability are highlighted in chapter 3.6 for their relevance in enabling the circular economy (Figure 23, use cases 4 and 5).

Figure 24: Impact categories and criteria for individual use case analysis in drawing the final short list of technology use cases for the study. These were used in the heatmap analysis depicted above to determine the High/Medium/Low assessments for each use case across business and sustainability impact dimensions and all 5 industries


<p>DEFINE IMPACT CATEGORIES AND KPIS</p>	<ul style="list-style-type: none"> • Use cases assessed based on potential business impact and sustainability impact dimensions 	<ul style="list-style-type: none"> • Business Impact KPIS: Productivity (output increase, productivity increase, product cost reduction, COGS reduction, quality cost reduction, etc.); agility (inventory reduction, lead time reduction, etc.); speed to market (speed to market reduction, design iteration time reduction, etc.) 	<ul style="list-style-type: none"> • Sustainability Impact KPIS: Waste reduction, raw materials reduction, water consumption reduction, energy intensity reduction
<p>DEFINE QUALITATIVE RANKING CATEGORIES (H/M/L IMPACT)</p>	<ul style="list-style-type: none"> • High Impact: Evidence for systemic improvements vs. business as usual scenario in given industry i.e.: can enable change at scale 	<ul style="list-style-type: none"> • Medium Impact: Evidence for significant improvements vs. business as usual scenario in given industry e.g.: 20% and above 	<ul style="list-style-type: none"> • Low Impact: Evidence for incremental improvements vs. business as usual scenario in given industry e.g.: less than 20%

CONSTRUCTION AND CITIES

Benefits analysis of use cases

Building operational efficiency optimization enabled by virtual twin tech.


- Scope includes global residential and commercial building footprint; excludes industrial construction
 - Includes both new buildings that will adopt virtual twins and existing buildings that would be retrofitted by 2030
 - New construction between 2020-2030 assumed to have the same commercial to residential proportion as seen presently
 - Impacts accounted for cover only 10 years of building lifecycle after implementation of virtual twins
- Calibrated for difference in adoption rates and regulatory requirements across EU, North America, Asia, etc.
 - Emissions savings only consider the energy efficiency and not the higher share of renewables in the energy mix over time, even though virtual twins have been found to increase the renewable uptake in buildings



CONSTRUCTION AND CITIES



High-level estimation methodology




Key Assumptions: i. Operating cost savings through reduction in energy consumption, maintenance planning and execution costs, decommissioning costs⁹⁰; ii. Technology adoption in Rest of World (includes Oceania, Africa, LatAm, Middle East) assumed to be same as in Asia. Different adoption rates are assumed for new construction and existing buildings⁹¹; iii. Building stock growth forecasts for the industry⁹² between 2015 and 2050 and assumed a 90:10 split between residential and commercial buildings (based on the current split in the US market); iv. Impact of lower grid emissions over time not accounted for as it cannot be attributed to the application of virtual twins (mainly a factor of price drop and availability/capacity increase of renewable energy generation); v. Impacts aggregated over 10 years even though they will accrue over the entire building lifetime, to be conservative in our estimate and assuming that new technology would become business-as-usual in 10 years' time; vi. Benefit estimation has been calculated separately for existing and new buildings since adoption rates and impacts will be different, the lower range of values have been assumed to arrive at a conservative estimate; vii. Regional factors from multiple sources^{93, 94, 95} reduced annually in line with IEA global estimates⁹⁶.

CONSUMER PACKAGED GOODS


Benefits analysis of use cases

Sustainable product and packaging development supported by lifecycle assessment (LCA)-based design.


- The impact modeling has been done for Consumer Packaged Goods and excludes Retail given the significant difference in operating models and cost structures
- The business impact covers cost savings during product development and arising from lower material consumption
- Impact of conducting an LCA at the design stage has been estimated based on research comparing a granular LCA vs high-level LCA⁹⁷
- The impact of LCA is assumed to be high in the first 1-2 years and expected to be lower in subsequent years through ongoing improvements



CONSUMER PACKAGED GOODS



High-level estimation methodology




Key Assumptions: i. An average of improvement ranges provided by Dassault Systèmes based on client case studies; ii. North America estimates; adoption is expected to be approximately double that in Europe and half that in Asia and Rest of World; based on market data provided by Dassault Systèmes; iii. External Statista estimates used for global R&D spending⁹⁸; iv. An average of improvement ranges provided by Dassault Systèmes based on client case studies; v. Emission avoidance through reduction in material consumption is not considered, since the GHG reduction estimate for the industry already factors in the material impact, to avoid double-counting; vi. Material costs account for about 40-50% of the revenues for consumer-packaged goods companies. This share is lower for big brands and oligopolistic markets, but on average assumed to be 45% for the industry⁹⁹; vii. Based on a meta-analysis of 800+ LCA studies where impact of doing a detailed LCA was compared with high-level LCA. While impacts from applying LCA on the 3D prototype should be higher, the incremental benefit of doing a detailed LCA has been taken as a proxy for the impact¹⁰⁰; viii. While the direct emissions (Scope 1 + 2) attributed to the industry are about 4% of global emissions, the lifecycle impact (including scope 3 emissions) is about 40%, since 90% of the GHG impact of FMCG companies resides upstream or downstream (CDP)¹⁰¹.

TRANSPORTATION AND MOBILITY


Benefits analysis of use cases

Product design, prototyping and testing with virtual twin technologies.


- Given the globally distributed nature of the automotive value chain, the assessment is done at a global level rather than separately by region (as in other use cases)
 - Impact calculations are based on passenger vehicles, hence understated as impact would be higher if commercial vehicles were also accounted for
 - Benefits arise from increased share of virtual prototyping during product development and maximizing simulations while developing autonomous driving systems
- Cost and emissions savings for simulating autonomous driving have been estimated using EVs as a reference point, which have lower operating costs and emissions per km than ICE vehicles. Therefore, the estimate is conservative
 - Business impact is a significant value and about 60% of it is cost avoidance attributed to physical autonomous vehicles (AV) testing. This shows that the recent growth in development of AVs has been made possible, in large part, thanks to the availability of low-cost simulation technologies. Pursuing AV development via conventional testing is extremely economically challenging (estimated testing required is 14 Billion km per system¹⁰²)



TRANSPORTATION AND MOBILITY



High-level estimation methodology




Key Assumptions: i. An average of improvement ranges provided by Dassault Systèmes based on client case studies; faster time to market is also an important benefit, whose impact is difficult to quantify, but a reduction of 1-2 years has been observed in many cases; ii. Technology adoption is high among European automakers and the adoption levels will be very high in mature markets by 2030. These estimates however are for the overall auto industry, accounting for different geographies and product segments; iii. Automakers typically spend 5% of their revenues on product development¹⁰³; iv. Based on a comparison of annual physical testing¹⁰⁴ and simulation by leading automotive and tech companies¹⁰⁵; v. Emissions¹⁰⁶ and cost¹⁰⁷ savings are based on electric vehicle-miles to provide a conservative estimate. However, the savings would be higher considering usage of ICE vehicles, Robo-taxis and commercial vehicles. A 90% percent reduction is assumed in the cost when taking into account the cost of hardware, storage, simulation tools, etc.¹⁰⁸; vi. Current levels of AV testing approximated at 30 – 35 Billion kms based on data from leading companies¹⁰⁹ in the autonomous driving market. AV testing assumed to grow at the same rate as the autonomous driving market¹¹⁰ which is projected to grow at a CAGR of 22% between now and 2030; vii. An average of improvement ranges provided by Dassault Systèmes based on client case studies; viii. Conservative estimate based on an electric car as reference¹¹¹. However, the footprint of an AV test vehicle and installed equipment would be expected to be much higher.

LIFE SCIENCES


Benefits analysis of use cases

Manufacturing plant optimization for pharmaceutical products with process virtual twins.


- Given the globally distributed nature of the pharmaceutical value chains, the assessment has been done at a global level, but with differentiation for generics and brands
- Solvents are a major contributor to the material consumption and GHG emissions in the lifecycle of a pharmaceutical product and the emission reductions have been calculated based on the solvent savings, ignoring other minor reductions



LIFE SCIENCES



High-level estimation methodology




Key Assumptions: i. The impact of continuous manufacturing has been taken as a proxy for the impact of virtual twins since having a virtual twin for real-time process data is a critical enabler¹¹² for the transition from batch to continuous processing; ii. This takes into account quality increase, higher yields, lower wastage, etc. to arrive at a consolidated impact on COGS; iii. Currently technology market adoption is at about 5% on average but can reach 30-50% based on data provided by Dassault Systèmes. These values are for full process implementation and not for virtual twins for selected unit operations within a plant; iv. Cost structures for generics¹¹³ and branded¹¹⁴ pharmaceuticals are significantly different, and a weighted average has been taken to arrive at COGS as a percentage of revenues for the industry; v. A conservative estimate given that a reduction of 70 – 90% has been seen in many case studies¹¹⁵ involving significant solvent use reduction; vi. The industry emissions intensity needs to fall by 59% from 2015 levels by 2025 to adhere to the 1.5°C scenario under the Paris agreement¹¹⁶. This has been used as a benchmark and virtual twins and continuous processing would be major contributors to the reduction which is required.

ELECTRICAL AND ELECTRONICS

Benefits analysis of use cases

Waste electric and electronic equipment (WEEE) resource recovery enabled by virtual twins.


- The analysis is global in scope and based on available estimates of e-waste volumes and growth projections out to 2030
- An improvement in formal handling is assumed over the next 10 years by adopting digital threads that promote adherence to e-waste laws and better refurbishment rates
- Since recycling is also possible with low-tech solutions, the possible increase in recycling rates has not been considered while estimating the impact
- While e-waste categories such as smartphones have high formal recovery, refurbishment rates and value generation from reuse, we have assumed conservative values that are representative of the overall stock of e-waste



ELECTRICAL AND ELECTRONICS



High-level estimation methodology



Key Assumptions: i. A linear increase from 17% in 2020 to 43% by 2030, assuming global formal handling rates will reach the current best practice (taken to be in EU) by 2030¹¹⁷; ii. Currently re-use is about 5% on average but can reach 40-50% based on recent estimates of possible refurbishment rates^{118, 119}; iii. This is an average increase based on a comparison of value of e-waste recovery from Global E-waste Monitor – 2020 (UN) with the increase in value by reuse for different e-waste categories such as smartphones, televisions, laptops¹²⁰ and washing machines¹²¹; iv. Based on the difference between emissions savings from reuse versus recycling estimated by Clarke et al. for UK¹²² and estimated for global e-waste; v. It is assumed that in case of proper (formal) handling and / or re-use of discarded refrigerators and air-conditioning equipment, none of the HFCs are released into the environment.

Experts consulted

NAME	ROLE	COMPANY
Olga Afremova	Senior Manager, Global Industry X. Services, Consumer Goods	Accenture
Sebastian Angerer	Senior Manager, Global Industry X. Services, Automotive	Accenture
Anissa Bellini	High-Tech Industry Solution Experience Director	Dassault Systèmes
Mauricio Bermudez	Principal Director, Sustainability Services	Accenture
Marty Doscher	Business Consultant, Construction, Cities and Territories	Dassault Systèmes
Lucas Florez	Lead Consultant Digital Transformation Circular and Sustainable Supply Chains	Dassault Systèmes
Lyndsay Harris	Head of Global Corporate Social Responsibility	Dassault Systèmes
Barbara Holtz	Expert Business Consultant—Life Sciences	Dassault Systèmes
Angeline Kneppers	Risk and Resilience Business Consultant Director, Construction, Cities and Territories	Dassault Systèmes
Ganesan Krishnamurthy	Director, Transportation and Mobility	Dassault Systèmes
Auriane Joudiou	High-Tech Industry Solution Experience Consultant	Dassault Systèmes
Alexandre Laloi	R&D, Sustainability and Business Insight	Dassault Systèmes
Graham Malley	Principal Director, Digital Manufacturing and Operations, Construction	Accenture
Hrishikesh Mohan	Industry Solution Technical Director, Consumer Packaged Goods	Dassault Systèmes
Tammo Schwindt	Manager, Intelligent Products and Platforms, Life Sciences	Accenture
Felix Wunner	Manager, Intelligent Products and Platforms	Accenture
External Interviewee	Co-Founder, Technology and Engineering	Electric Mobility Co
External Interviewee	Chief Engineer	Electric Mobility Co
External Interviewee	Chief Technology Officer, Manufacturing & Automotive Solutions	Global Tech Co
External Interviewee	Executive Vice President, Global Industrial Affairs	Global Pharma Co
External Interviewee	Programme Director, Digital R&D	Global FMCG Co
External Interviewee	R&D Director, Product Lifecycle Management	Global FMCG Co
External Interviewee	Head of Sustainable Manufacturing	Global FMCG Co

Steering committee

NAME	ROLE	COMPANY
Simon Bentley	Senior Manager, Global Industry X. Services, 3DExperience Platform	Accenture
Victoire De Margerie	Vice President, Corporate Marketing, Branding and Communications	Dassault Systèmes
Thibault De Tersant	Senior Executive Vice President, General Secretary	Dassault Systèmes
Julien Durand	Vice President, Industry Strategy and Finance	Dassault Systèmes
Jan-Willem Jannink	Managing Director, Global Industry X. Services, Sustainability	Accenture
Rod Kay	Senior Manager, Corporate Marketing and Communications	Accenture
Justin Keeble	Managing Director, Sustainability Services	Accenture
Laurent Maniaudet	Director, Global Alliance Executive	Dassault Systèmes
Christophe Mouille	Managing Director, Industry X. Ecosystem and Partnerships	Accenture
Alice Steenland	Chief Sustainability Officer	Dassault Systèmes
Severine Trouillet	Global Affairs Director	Dassault Systèmes
Youssef Tuma	Global Co-Lead, Intelligent Products and Platforms	Accenture
Laurent Valroff	Global Alliances Lead	Dassault Systèmes
Florence Verzelen	Executive Vice President Industry, Field Marketing and Sustainability	Dassault Systèmes

Core project team

NAME	ROLE	COMPANY
Justin Keeble	Managing Director, Sustainability Services	Accenture
Lauren Ing	Senior Manager, Sustainability Services	Accenture
Dhruv Malik	Consultant, Sustainability Services	Accenture
Tony Murdzhev	Consultant, Sustainability Services	Accenture

References

1. Greenfield, P., 2020. Humans Exploiting And Destroying Nature On Unprecedented Scale – Report. [online] the Guardian. Available at: <<https://www.theguardian.com/environment/2020/sep/10/humans-exploiting-and-destroying-nature-on-unprecedented-scale-report-aoe>>.
2. World Economic Forum. 2018. Nearly 90% Of Fish Stocks Are In The Red – Fisheries Subsidies Must Stop. [online] Available at: <<https://www.weforum.org/agenda/2018/07/fish-stocks-are-used-up-fisheries-subsidies-must-stop/>>.
3. Steer, A., Waughray, D., Ellison, G. and McGregor, M., 2016. The Great Decoupling: Our Human Economic Footprint And The Global Environmental Commons. [online] iucn.org. Available at: <https://www.iucn.org/sites/dev/files/the_great_decoupling_10_10_16.pdf>.
4. UN News. 2019. UN Emissions Report: World On Course For More Than 3 Degree Spike, Even If Climate Commitments Are Met. [online] Available at: <<https://news.un.org/en/story/2019/11/1052171>>.
5. Borunda, A., 2020. Arctic Summer Sea Ice Could Disappear As Early As 2035. [online] National Geographic. Available at: <<https://www.nationalgeographic.com/science/2020/08/arctic-summer-sea-ice-could-be-gone-by-2035/>>.
6. Steer, A., Waughray, D., Ellison, G. and McGregor, M., 2016. The Great Decoupling: Our Human Economic Footprint And The Global Environmental Commons. [online] iucn.org. Available at: <https://www.iucn.org/sites/dev/files/the_great_decoupling_10_10_16.pdf>.
7. The Guardian. 2015. Earth Has Lost A Third Of Arable Land In Past 40 Years, Scientists Say. [online] Available at: <<https://www.theguardian.com/environment/2015/dec/02/arable-land-soil-food-security-shortage#:~:text=4%20years%20old-,Earth%20has%20lost%20a%20third%20of%20arable,past%2040%20years%2C%20scientists%20say&text=New%20research%20has%20calculated%20that,processes%20to%20replace%20diminished%20soil.>>.
8. Source: Dassault Systèmes estimates, 2020
9. Ibid.
10. Source: Dassault Systèmes, Global Market Insight study, 2019
11. Source: Accenture and Dassault Systèmes research based on commercial data, 2020
12. UNEP, n.d. Energy Efficiency For Buildings. [online] Available at: <<https://www.euenergycentre.org/images/unesp%20info%20sheet%20-%20ee%20buildings.pdf>>.
13. OECD. 2018. Raw Materials Use To Double By 2060 With Severe Environmental Consequences – OECD. [online] Available at: <<https://www.oecd.org/environment/raw-materials-use-to-double-by-2060-with-severe-environmental-consequences.htm>>.
14. UNEP, n.d. Energy Efficiency For Buildings. [online] Available at: <<https://www.euenergycentre.org/images/unesp%20info%20sheet%20-%20ee%20buildings.pdf>>.
15. UN, 2018. The World'S Cities In 2018. [online] Available at: <https://www.un.org/en/events/citiesday/assets/pdf/the_worlds_cities_in_2018_data_booklet.pdf>.
16. Consumer Brands Association. 2020. Industry Impact. [online] Available at: <<https://consumerbrandsassociation.org/industry-impact/#:~:text=The%20jobs%20supported%20by%20the,in%20every%2010%20American%20jobs.andtext=The%20total%20labor%20income%20supported,of%20all%20U.S.%20labor%20income.andtext=The%20CPG%20industry's%20total%20contributions%20represent%2010%25%20of%20the%20national%20GDP>>.
17. Lacy, P., Long, J. and Spindler, W., 2020. The Circular Economy Handbook: Realizing The Circular Advantage. Palgrave Macmillan.
18. EU Science Hub – European Commission. 2020. Sustainable Product Policy. [online] Available at: <<https://ec.europa.eu/jrc/en/research-topic/sustainable-product-policy>>.
19. Agudelo, L., Mejía-Gutiérrez, R., Nadeau, J. and Pailhes, J., 2017. Life Cycle Analysis In Preliminary Design Stages. [online] Available at: <<https://hal.archives-ouvertes.fr/hal-01066385/document>>.
20. Rodrigue, J. and Notteboom, T., 2020. Transportation and Economic Development. In: J. Rodrigue, ed., The Geography of Transport Systems, 5th ed. New York: Routledge.
21. World Resources Institute. 2019. Everything You Need To Know About The Fastest-Growing Source Of Global Emissions: Transport. [online] Available at: <<https://www.wri.org/blog/2019/10/everything-you-need-know-about-fastest-growing-source-global-emissions-transport#:~:text=1.emissions%20from%20burning%20fossil%20fuels>>.
22. Williams, E., Das, V. and Fisher, A., 2020. Assessing The Sustainability Implications Of Autonomous Vehicles: Recommendations For Research Community Practice. [online] Available at: <<https://www.mdpi.com/2071-1050/12/5/1902/pdf>>.
23. DHL Trend Research, 2019. Digital Twins In Logistics. [online] Available at: <<https://www.dhl.com/content/dam/dhl/global/core/documents/pdf/glo-core-digital-twins-in-logistics.pdf>>.
24. Altran. 2020. Digital Twins: Creating Digital Operations Today To Deliver Business Value Tomorrow. [online] Available at: <https://www.altran.com/as-content/uploads/sites/5/2019/09/digital-twin-pov-whitepaper_v7.pdf>.
25. General Electric. 2016. This “Digital Twin” Of A Car Battery Could Deliver New Hybrid Vehicle Into Your Garage | GE News. [online] Available at: <<https://www.ge.com/news/reports/scientists-built-a-digital-twin-of-a-car-battery-to-make-it-last-longer>>.
26. Etherington, D., 2019. Techcrunch Is Now A Part Of Verizon Media. [online] Techcrunch.com. Available at: <<https://techcrunch.com/2019/07/10/waymo-has-now-driven-10-Billion-autonomous-miles-in-simulation/?guccounter=1>>.

27. Tata Consultancy Services, 2018. Digital Twin In The Automotive Industry: Driving Physical-Digital Convergence. [online] Available at: <<https://www.tcs.com/content/dam/tcs/pdf/Industries/manufacturing/abstract/industry-4-0-and-digital-twin.pdf>>.
28. Linchpin. 2020. Linchpin: Trends Transforming The Life Sciences Industry Outlook In 2021. [online] Available at: <<https://linchpinseo.com/trends-in-the-life-sciences-industry/>>.
29. Wall Street Journal. 2020. Tracking Venture Capital Investment By Sector. [online] Available at: <<https://graphics.wsj.com/venture-capital-deals/>>.
30. Cushman and Wakefield. 2020. Cushman and Wakefield's Life Sciences 2020: The Future Is Here | United States | Cushman and Wakefield. [online] Available at: <<https://www.cushmanwakefield.com/en/united-states/insights/life-science-report>>.
31. Neville, S., 2019. Pharma Finds Its Feet In Fight Against Climate Change. [online] Financial Times. Available at: <<https://www.ft.com/content/d672b65a-fe30-11e8-aebf-99e208d3e521>>.
32. Schmidt, A., Uhlenbrock, L. and Strube, J., 2020. Technical Potential for Energy and GWP Reduction in Chemical-Pharmaceutical Industry in Germany and EU—Focused on Biologics and Botanicals Manufacturing. *Processes*, 8(7), p.818.
33. Belkhir, L. and Elmeligi, A., 2019. Carbon footprint of the global pharmaceutical industry and relative impact of its major players. *Journal of Cleaner Production*, 214, pp.185-194.
34. Schmidt, A., Uhlenbrock, L. and Strube, J., 2020. Technical Potential for Energy and GWP Reduction in Chemical-Pharmaceutical Industry in Germany and EU—Focused on Biologics and Botanicals Manufacturing. *Processes*, 8(7), p.818.
35. Kopach, M., 2012. The Green Chemistry Approach To Pharma Manufacturing. *Innovations in Pharmaceutical Technology*. [online] Available at: <<http://www.iponline.com/articles/public/ACSGreenChemistry.pdf>>.
36. Kopach, M., 2012. The Green Chemistry Approach To Pharma Manufacturing. *Innovations in Pharmaceutical Technology*. [online] Available at: <<http://www.iponline.com/articles/public/ACSGreenChemistry.pdf>>.
37. Sanofi. 2020. Factory Of The Future. [online] Available at: <<https://www.sanofi.com/en/about-us/our-stories/sanofi-takes-a-step-into-the-future-of-making-medicine>>.
38. Wadhvani, P. and Saha, P., 2020. Consumer Electronics Market Size By Product (Audio and Video Equipment [Personal, Professional], Major Household Appliance, Small Household Appliance, Digital Photo Equipment [Personal, Professional]), By Application (Personal, Professional), Industry Analysis Report, Regional Outlook, Growth Potential, Competitive Market Share and Forecast, 2020-2026. [online] Available at: <<https://www.gminsights.com/industry-analysis/consumer-electronics-market>>.
39. BankMyCell. 2020. How Many Smartphones Are In The World?. [online] Available at: <<https://www.bankmycell.com/blog/how-many-phones-are-in-the-world>>.
40. Bordage, F., 2019. The Environmental Footprint Of The Digital World. *GreenIT.fr*.
41. The World Economic Forum, 2019. A New Circular Vision For Electronics Time For A Global Reboot. [online] Available at: <http://www3.weforum.org/docs/WEF_A_New_Circular_Vision_for_Electronics.pdf>.
42. World Economic Forum. 2019. Global Electronic Waste Up 21% In Five Years, And Recycling Isn'T Keeping Up. [online] Available at: <<https://www.weforum.org/agenda/2020/07/global-electronic-waste-recycling-management/>>.
43. Rocca, R., Rosa, P., Sassanelli, C., Fumagalli, L. and Terzi, S., 2020. Integrating Virtual Reality and Digital Twin in Circular Economy Practices: A Laboratory Application Case. *Sustainability*, 12(6), p.2286.
44. Wang, X. and Wang, L., 2018. Digital twin-based WEEE recycling, recovery and remanufacturing in the background of Industry 4.0. *International Journal of Production Research*, 57(12), pp.3892-3902.
45. Ardenne, F. and Mathieux, F., 2014. Recycling of electronic displays: Analysis of pre-processing and potential ecodesign improvements. *Resources, Conservation and Recycling*, 92, pp.158-171.
46. Wassink, J., 2018. Circularise Uses Blockchain Technology To Trace Raw Materials. [online] TU Delft. Available at: <<https://www.tudelft.nl/en/delft-outlook/articles/circularise-uses-blockchain-technology-to-trace-raw-materials/>>.
47. Baptist, S. and Hepburn, C., 2013. Intermediate inputs and economic productivity. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, [online] 371(1986), p.20110565. Available at: <<https://www.ineteconomics.org/uploads/papers/hepburn-america-berlin-paper.pdf>>.
48. ArcelorMittal. 2020. Recycling Our Waste. [online] Available at: <<https://corporate.arcelormittal.com/media/case-studies/recycling-our-waste>>.
49. Jaguar Land Rover. 2020. Jaguar Land Rover Upcycles Aluminium To Cut Carbon Emissions By A Quarter. [online] Available at: <<https://media.jaguarlandrover.com/news/2020/08/jaguar-land-rover-upcycles-aluminium-cut-carbon-emissions-quarter>>.
50. Production Engineering Solutions Media. 2019. JLR To Recycle Aluminium From Existing Cars For New Vehicle Lines. [online] Available at: <<https://www.pesmedia.com/jaguar-land-rover-aluminium-recycling-closed-loop-strategy/>>.
51. Sonter, L., Ali, S. and Watson, J., 2018. Mining and biodiversity: key issues and research needs in conservation science. *Proceedings of the Royal Society B: Biological Sciences*, 285(1892), p.20181926.
52. AZGS. 2020. How Much Water Required In Mining Gold?. [online] Available at: <<http://azgs.arizona.edu/ask-a-geologist/how-much-water-required-mining-gold>>.
53. Jaguar Land Rover. 2020. Jaguar Land Rover Upcycles Aluminium To Cut Carbon Emissions By A Quarter. [online] Available at: <<https://media.jaguarlandrover.com/news/2020/08/jaguar-land-rover-upcycles-aluminium-cut-carbon-emissions-quarter>>.
54. Ortego, A., Valero, A., Valero, A. and Iglesias, M., 2018. Downcycling in automobile recycling process: A thermodynamic assessment. *Resources, Conservation and Recycling*, 136, pp.24-32.
55. Kalapos, N., 2020. Euric Call For Recycled Plastic Content In Cars. [online] EuRIC. Available at: <<https://www.euric-aisbl.eu/position-papers/item/351-euric-call-for-recycled-plastic-content-in-cars>>.
56. Elsayed, A., Roetger, T. and Bann, A., 2019. Best Practices and Standards in Aircraft End-of-Life and Recycling. In: *Destination Green: The next chapter*. [online] pp.279-284. Available at: <[https://www.icao.int/environmental-protection/Documents/ICAO-ENV-Report2019-F1-WEB%20\(1\).pdf](https://www.icao.int/environmental-protection/Documents/ICAO-ENV-Report2019-F1-WEB%20(1).pdf)>.

57. ESA. 2020. Decommissioning Of Energy Assets. [online] Available at: <<https://business.esa.int/funding/invitation-to-tender/decommissioning-energy-assets>>.
58. Elsayed, A., Roetger, T. and Bann, A., 2019. Best Practices and Standards in Aircraft End-of-Life and Recycling. In: Destination Green: The next chapter. [online] pp.279-284. Available at: [https://www.icao.int/environmental-protection/Documents/ICAO-ENV-Report2019-F1-WEB%20\(1\).pdf](https://www.icao.int/environmental-protection/Documents/ICAO-ENV-Report2019-F1-WEB%20(1).pdf)
59. ESA. 2020. Decommissioning Of Energy Assets. [online] Available at: <<https://business.esa.int/funding/invitation-to-tender/decommissioning-energy-assets>>.
60. Ortego, A., Valero, A., Valero, A. and Iglesias, M., 2018. Downcycling in automobile recycling process: A thermodynamic assessment. Resources, Conservation and Recycling, 136, pp.24-32.
61. Offshore. 2020. Bureau Veritas outlines digital twin decommissioning cost benefits. [online] Available at: <https://www.offshore-mag.com/production/article/14174483/bureau-veritas-outlines-digital-twin-decommissioning-cost-benefits>.
62. Chordant. 2018. ABI Research: Role Of Smart Cities For Economic Development. [online] Available at: <https://www.chordant.io/white_papers/abi-research-role-of-smart-cities-for-economic-development>.
63. Haider, I., 2020. How Smart Cities Can Help Build A Sustainable World | Internet Of Business. [online] Internet of Business. Available at: <<https://internetofbusiness.com/how-smart-cities-can-build-a-sustainable-world/>>.
64. Chordant. 2018. ABI Research: Role Of Smart Cities For Economic Development. [online] Available at: <https://www.chordant.io/white_papers/abi-research-role-of-smart-cities-for-economic-development>.
65. Smart Cities World. 2020. The Rise Of Digital Twins In Smart Cities. [online] Available at: <<https://www.smartcitiesworld.net/special-reports/special-reports/the-rise-of-digital-twins-in-smart-cities>>.
66. BIM Today. 2019. Digital Twin Technology Spearheads Energy Efficiency. [online] Available at <<https://www.pbctoday.co.uk/news/bim-news/digital-twin-technology-energy/55587/#:~:text=The%20digital%20twin%20technology%20aims,fossil%20fuels%20within%20a%20community>>.
67. Huawei Enterprise. 2020. How Digital Twins Enable Intelligent Cities. [online] Available at: <<https://e.huawei.com/uk/eblog/industries/insights/2020/how-digital-twins-enable-intelligent-cities>>.
68. Smith, J., 2020. Unilever Uses Virtual Factories To Tune Up Its Supply Chain. [online] WSJ. Available at: <<https://www.wsj.com/articles/unilever-uses-virtual-factories-to-tune-up-its-supply-chain-11563206402>>.
69. The World Economic Forum. 2019. Global Lighthouse Network: Insights From The Forefront Of The Fourth Industrial Revolution. [online] Available at: <http://www3.weforum.org/docs/WEF_Global_Lighthouse_Network.pdf>.
70. Dassault Systèmes, 2020. Perfect Production Agile Planning, Scheduling And Supply Chain Management. Home and Lifestyle. [online] Available at: <https://ifwe.3ds.com/sites/default/files/3DS_2020%20FLYER%20OHL%20PERFECT%20PRODUCTION%20A4_WEB.pdf>.
71. Dassault Systèmes. 2020. Production Agility: Planning Production In A Variable World. [online] Available at: <<https://ifwe.3ds.com/consumer-packaged-goods-retail/production-agility>>.
72. Crozier, R., 2019. Unilever Sets Up Eight Digital Twins Of Consumer Goods Factories. [online] iNews. Available at: <<https://www.itnews.com.au/news/unilever-sets-up-eight-digital-twins-of-consumer-goods-factories-528320>>.
73. The World Economic Forum. 2019. Global Lighthouse Network: Insights From The Forefront Of The Fourth Industrial Revolution. [online] Available at: <http://www3.weforum.org/docs/WEF_Global_Lighthouse_Network.pdf>.
74. World Economic Forum. 2020. How Manufacturing Can Thrive In A Digital World And Lead A Sustainable Revolution. [online] Available at: <<https://www.weforum.org/agenda/2020/01/factories-of-the-future-innovation-manufacturing>>.
75. Oracle Health Sciences and CNS Summit, 2019. 2019 Market Research Report: The Use Of Virtual Components In Clinical Trials.
76. LEO Innovation Lab. 2020. Virtual Clinical Trials Create New Possibilities For Patients and Pharma – Especially Within Dermatology – LEO Innovation Lab. [online] Available at: <<https://leoinnovationlab.com/2020/04/02/virtual-clinical-trials-create-new-possibilities-for-patients-pharma/>>.
77. Lucchini, C., 2018. Industry Embraces The Virtual Trial Platforms – Pharma World. [online] Pharma World. Available at: <<https://www.pharmaworldmagazine.com/industry-embraces-the-virtual-trial-platforms/>>.
78. Church, G., n.d. In Silico Heaven. [online] Thirona. Available at: <<https://thirona.eu/in-silico-heaven/>>.
79. National Academies of Sciences, E., Division, H., Policy, B., Forum on Drug Discovery, D., Shore, C., Khandekar, E. and Alper, J., 2019. Virtual Clinical Trials. Washington, D.C.: National Academies Press.
80. Lucchini, C., 2018. Industry Embraces The Virtual Trial Platforms – Pharma World. [online] Pharma World. Available at: <<https://www.pharmaworldmagazine.com/industry-embraces-the-virtual-trial-platforms/>>.
81. Hebenstreit, C., 2020. Council Post: How Technology Is Helping Increase Diversity In Clinical Trials. [online] Forbes. Available at: <<https://www.forbes.com/sites/forbestechcouncil/2020/06/18/how-technology-is-helping-increase-diversity-in-clinical-trials/#70f5206dbf89>>.
82. Sustainable Trials Study Group., 2007. Towards sustainable clinical trials. BMJ, 334(7595), pp.671-673.
83. Eurostat Statistics Explained. 2020. Greenhouse Gas Emission Statistics – Carbon Footprints – Statistics Explained. [online] Available at: <https://ec.europa.eu/eurostat/statistics-explained/index.php/Greenhouse_gas_emission_statistics_-_carbon_footprints#:~:text=Eurostat%20estimates%20the%20EU%2D27s,by%20importing%20goods%20and%20services>.
84. Ellen MacArthur Foundation. 2012. In-Depth – Washing Machines. [online] Available at: <<https://www.ellenmacarthurfoundation.org/news/in-depth-washing-machines>>.
85. Brown, A., 2019. HP Takes The Circular Economy To The Next Level. [online] Triple Pundit. Available at: <<https://www.triplepundit.com/story/2019/hp-takes-circular-economy-next-level/84091>>.
86. Electrolux, 2019. Electrolux Sustainability Report 2019. [online] Available at: <<https://www.electroluxgroup.com/en/wp-content/uploads/sites/2/2020/04/electrolux-sustainability-report-2019-final.pdf>>.

87. European Commission. 2019. The New Ecodesign Measures Explained. [online] Available at: <https://ec.europa.eu/commission/presscorner/detail/en/QANDA_19_5889>.
88. Apple. 2019. Environmental Responsibility Report 2019. [online] Available at: <https://www.apple.com/environment/pdf/Apple_Environmental_Responsibility_Report_2019.pdf>.
89. Electrolux. 2019. Electrolux Sustainability Report 2019. [online] Available at: <<https://www.electroluxgroup.com/en/wp-content/uploads/sites/2/2020/04/electrolux-sustainability-report-2019-final.pdf>>.
90. Source: Dassault Systèmes estimates, 2020
91. Ibid.
92. Statista. 2020. Projected Building Floor Area Growth Globally By Region 2050 | Statista. [online] Available at: <<https://www.statista.com/statistics/731858/projected-global-building-floor-area-growth-by-region/>>.
93. U.S. Energy Information Administration (EIA). 2020. Frequently Asked Questions (Faqs). [online] Available at: <<https://www.eia.gov/tools/faqs/faq.php?id=74andt=11>>.
94. European Environment Agency. 2020. CO2 Intensity Of Electricity Generation. [online] Available at: <<https://www.eea.europa.eu/data-and-maps/data/co2-intensity-of-electricity-generation>>.
95. Takahashi, K. and Louhisuo, M., 2020. IGES List Of Grid Emission Factors. [online] IGES. Available at: <https://www.iges.or.jp/en/pub/list-grid-emission-factor/en?_ga=2.179693218.766814362.1601011394-1468244533.1601011394>.
96. Statista. 2020. Electricity Generation Emission Intensity 2040. [online] Available at: <<https://www.statista.com/statistics/1013834/emission-intensity-electricity-generation-globally/#statisticContainer>>.
97. Meinrenken, C., Chen, D., Esparza, R., Iyer, V., Paridis, S., Prasad, A. and Whillas, E., 2020. Carbon emissions embodied in product value chains and the role of Life Cycle Assessment in curbing them. Scientific Reports, 10(1).
98. Statista. 2020. Percentage Of Global R&D Spending, By Industry 2018 | Statista. [online] Available at: <<https://www.statista.com/statistics/270233/percentage-of-global-rundd-spending-by-industry/>>.
99. Tarver, E., 2020. What Financial Ratios Are Best To Evaluate For Consumer Packaged Goods?. [online] Investopedia. Available at: <<https://www.investopedia.com/ask/answers/060515/what-are-some-important-financial-ratios-evaluate-respect-consumer-packaged-goods.asp>>.
100. Meinrenken, C., Chen, D., Esparza, R., Iyer, V., Paridis, S., Prasad, A. and Whillas, E., 2020. Carbon emissions embodied in product value chains and the role of Life Cycle Assessment in curbing them. Scientific Reports, 10(1).
101. CDP. 2019. Top FMCGs In Race To Keep Up With Conscious Consumers – CDP. [online] Available at: <<https://www.cdp.net/en/articles/media/top-fmcgs-in-race-to-keep-up-with-conscious-consumers>>.
102. Kalra, N. and Paddock, S., 2016. Driving To Safety: How Many Miles Of Driving Would It Take To Demonstrate Autonomous Vehicle Reliability? Santa Monica, CA: RAND Corporation.
103. Statista. 2018. Selected Automakers Worldwide – R&D Intensity 2018. [online] Available at: <<https://www.statista.com/statistics/574012/research-and-development-to-sales-ratio-of-automakers/>>.
104. Herger, V., 2019. Disengagement Report 2019. [online] The Last Driver License Holder... Available at: <<https://thelastdriverlicenseholder.com/2020/02/26/disengagement-report-2019>>.
105. Wiggers, K., 2020. The Challenges Of Developing Autonomous Vehicles During A Pandemic. [online] VentureBeat. Available at: <<https://venturebeat.com/2020/04/28/challenges-of-developing-autonomous-vehicles-during-coronavirus-covid-19-pandemic>>.
106. European Environment Agency. 2017. Range Of Life-Cycle CO2 Emissions For Different Vehicle And Fuel Types. [online] Available at: <<https://www.eea.europa.eu/signals/signals-2017/infographics/range-of-life-cycle-co2/view>>.
107. Szumska, E., Jurecki, R. and Pawelczyk, M., 2019. Assessment of Total Costs of Ownership for Midsize Passenger Cars with Conventional and Alternative Drive Trains. Communications – Scientific letters of the University of Zilina, 21(3), pp.21-27.
108. Castignani, L., 2019. Road Testing or Simulation? – The Billion-Mile Question for Autonomous Driving Development. Engineering Reality Magazine, [online] (Volume IX), pp.83-87. Available at: <<https://www.msccsoftware.com/sites/default/files/road-testing-or-simulation-the-billion-mile-question-for-autonomous-driving-development.pdf>>.
109. Wiggers, K., 2020. The Challenges Of Developing Autonomous Vehicles During A Pandemic. [online] VentureBeat. Available at: <<https://venturebeat.com/2020/04/28/challenges-of-developing-autonomous-vehicles-during-coronavirus-covid-19-pandemic>>.
110. Statista. 2020. Autonomous Cars By Global Market Size 2030. [online] Available at: <<https://www.statista.com/statistics/428692/projected-size-of-global-autonomous-vehicle-market-by-vehicle-type/>>.
111. Low Carbon Vehicle Partnership. n.d. Lifecycle Emissions From Cars. [online] Available at: <<https://www.lowcvp.org.uk/assets/workingdocuments/MC-P-11-15a%20Lifecycle%20emissions%20report.pdf>>.
112. Rogers, L. and Jensen, K., 2019. Continuous manufacturing – the Green Chemistry promise? Green Chemistry, 21(13), pp.3481-3498.
113. BCG Global. 2019. Getting A Grip On COGS In Generic Drugs. [online] Available at: <<https://www.bcg.com/publications/2019/getting-a-grip-on-cogs-in-generic-drugs>>.
114. Basu, P., Joglekar, G., Rai, S., Suresh, P. and Vernon, J., 2008. Analysis of Manufacturing Costs in Pharmaceutical Companies. Journal of Pharmaceutical Innovation, 3(1), pp.30-40.
115. Rogers, L. and Jensen, K., 2019. Continuous manufacturing – the Green Chemistry promise?. Green Chemistry, 21(13), pp.3481-3498.
116. Randall, I., 2019. Big Pharma Emits 13% More Carbon Emissions Than CAR MAKERS, Experts Warn. [online] Mail Online. Available at: <<https://www.dailymail.co.uk/sciencetech/article-7081851/Big-Pharma-companies-create-13-carbon-emissions-making-medicine-CAR-MAKERS.html>>.
117. Forti, V., Baldé, C., Kuehr, R. and Bel, G., 2020. The Global E-Waste Monitor 2020. [online] Available at: <https://www.itu.int/en/ITU-D/Environment/Documents/Toolbox/GEM_2020_def.pdf>.

118. Ellen MacArthur Foundation, 2013. Towards The Circular Economy. [online] Available at: <<https://www.ellenmacarthurfoundation.org/assets/downloads/publications/Ellen-MacArthur-Foundation-Towards-the-Circular-Economy-vol.1.pdf>>.
119. Resmi, N. and Fasila, K., 2017. E-waste Management and Refurbishment Prediction (EMARP) Model for Refurbishment Industries. *Journal of Environmental Management*, 201, pp.303-308.
120. WRAP, 2013. The Value Of Consumer Electronics For Trade-In And Re-Sale. [online] Available at: <https://www.wrap.org.uk/sites/files/wrap/Value%20of%20consumer%20electronics_trade%20in%20resale%2013%2008%2020.pdf>.
121. Forti, V., Baldé, C., Kuehr, R. and Bel, G., 2020. The Global E-Waste Monitor 2020. [online] Available at: <https://www.itu.int/en/ITU-D/Environment/Documents/Toolbox/GEM_2020_def.pdf>; Accenture Research estimates, 2020
122. Clarke, C., Williams, I. and Turner, D., 2019. Evaluating the carbon footprint of WEEE management in the UK. *Resources, Conservation and Recycling*, 141, pp.465-473.
- i. Implementing technology solutions at the systems level to improve urban energy efficiency, transport, and public services.
- ii. The analysis is based on a comparison between a business-as-usual (what is likely to happen anyway) and an accelerated scenario where we have increased technology adoption rates from 9 - 30% by 2030, based on geography, building type and age; scope of analysis is global, inclusive of commercial and residential new construction and existing building stock, using current building operative energy intensity averages as a baseline; cumulative output over 10-year period; for full details of analysis, please see Appendix.
- iii. Data on the environmental impacts associated with all the stages of the lifecycle of a product and/ or the raw materials used to make it, process or service.
- iv. The analysis is based on the global CPG industry and a comparison between a business-as-usual (what is likely to happen anyway) and an accelerated scenario where we have increased use case deployment rates to the maximum feasible level by 2030. Publicly available case studies do not yet exist, as this is a unique solution combining sustainability impact analysis with 3D modelling and design tools in early days of testing. For full details of analysis, please see Appendix.
- v. The analysis is based on quantifying the emissions avoidance contributions from virtualizing conventional passenger vehicle development and testing (within the limits defined by local regulation), and the use of simulated driving for the development of autonomous passenger vehicles, globally and out to 2030. The cost and emissions savings for simulating autonomous driving have been estimated using EVs as a reference point. The business impact is a significant value and about 60% of it is a cost avoidance attributed to physical AV testing. For more details, please see Appendix.
- vi. Pharma industry emissions are estimated to be about 52 Mt CO₂e globally for Scope 1 and 2 emissions (i.e. not accounting for indirect value chain emissions, which will increase that figure substantially); taking a WRI estimate of global emissions from 2016 at 46.1Gt, this equates to 0.11% of global CO₂e emissions.
- vii. The analysis is based on the global Pharma industry and a comparison between a business-as-usual (what is likely to happen anyway) and an accelerated scenario (where the use case adoption levels by 2030 could be 20% higher than the BAU adoption). While plants may have partial adoption of process twins for selected unit operations, the estimation has been calculated for virtual twins of complete processes. Cost structures for generics and branded pharmaceuticals are significantly different, and these have been accounted for while estimating the material and production cost savings. For more details, please see Appendix.
- viii. It is important to note that there are many clinical trial aspects that can be virtualized and there is no one common definition to clarify at what point a trial becomes hybrid or virtual. In addition, there are clear limitations to this approach including unclear regulatory landscape, data integration and safety challenges.
- ix. Informal recycling of electric and electronic waste has been linked to worker exposure to toxic fumes of various heavy metals through inhalation and contact form skin surface.
- x. The analysis is based on an increase in the formal handling of WEEE globally from the current level of 17% to reach 43% by 2030 (latest estimate for formal handling in Europe). A further improvement realized by adopting digital threads is that for the WEEE that is formally handled, the level of refurbishment and reuse can increase significantly by providing better information about the service life and material composition of the product. While e-waste categories such as smartphones have high formal recovery, refurbishment rates and value generation from reuse, we have assumed conservative values that are representative of the overall stock of e-waste. For full details of analysis, please see Appendix.
- xi. For the aggregated insights from interviews, please see Appendix.

About Dassault Systèmes

Dassault Systèmes, the **3DEXPERIENCE** Company, is a catalyst for human progress. We provide business and people with collaborative virtual environments to imagine sustainable innovations. By creating ‘virtual experience twins’ of the real world with our **3DEXPERIENCE** platform and applications, our customers push the boundaries of innovation, learning and production. Dassault Systèmes’ 20,000 employees are bringing value to more than 270,000 customers of all sizes, in all industries, in more than 140 countries. For more information, visit www.3ds.com.

About Accenture

Accenture is a global professional services company with leading capabilities in digital, cloud and security. Combining unmatched experience and specialized skills across more than 40 industries, we offer Strategy and Consulting, Interactive, Technology and Operations services—all powered by the world’s largest network of Advanced Technology and Intelligent Operations centers. Our 514,000 people deliver on the promise of technology and human ingenuity every day, serving clients in more than 120 countries. We embrace the power of change to create value and shared success for our clients, people, shareholders, partners and communities. Visit us at www.accenture.com

This document makes descriptive reference to trademarks that may be owned by others. The use of such trademarks herein is not an assertion of ownership of such trademarks by Accenture and is not intended to represent or imply the existence of an association between Accenture and the lawful owners of such trademarks.

This content is provided for general information purposes and is not intended to be used in place of consultation with our professional advisors